

INDEX

200-Year Rule 243

A

Addition to Existing House
15, 93–97

- adding stairs 95
- adding upper floors 94–95
- expanding at same level 95
- expanding upward and outward 97

Adhesives. *See also Sealants*
cautions 283
functions 283

A-frame 117, 317–318, 672

Air Binding (in hydronic heating)
447

Air Cleaner 600–601

Air Conditioners 469–470
See also Heat Pumps
central, avoid 416, 470
compared to heat pumps 469
ductless 469
energy efficiency ratings 463
how they work 456–457
split-system 469
window-type 469–470

Air Filters 478

Air Leakage

- around doors 231, 374–375, 378, 379
- around flue 334–335, 645
- around plumbing vents 334–335
- around windows 231. *See also Windows, Installation*
- holes & gaps, minimize sizes 232
- prevention, with house wrap 237
- prevention, with overlapping joints 233

- prevention, with sealants 233–236. *See also Sealants*
- prevention, with wall sheathing 194, 233, 295–296
- through fireplace 640
- through flue damper 643, 645
- through interior of structure 231
- through leaky windows 231
- through penetrations 231
- through structural joints 231
- through wiring holes 348

Air Quality
& airtight construction 231, 490
ventilation. *See Ventilation, for Air Quality*

Airtight Construction.
See Air Leakage;
See Air Quality;
See Health

Aluminum Siding 104

Anchor Bolts 200, 239, 286

Appliances 587–601
efficiency ratings 588
features. *See name of appliance*
heat recovery appliances 669
shopping for 587

- ▶ air cleaner 600–601
- ▶ clothes dryer 599–600
- ▶ clothes washer 598–599
- ▶ convection oven 594–595
- ▶ dishwasher 597–598
- ▶ electronic appliances 601
- ▶ food freezer 590–591
- ▶ microwave oven 594–595
- ▶ oven & broiler 594–595
- ▶ pressure cooker 592–593
- ▶ range, conventional 591–593
- ▶ range, induction 593–594
- ▶ refrigerator 589–590

Architect. *See Design Assistance*

Architectural Style 98–99

- alternatives to blank walls 112–114
- alternatives to excessive glass area 112–114
- decoration. *See Decoration*
- defining features 98
- energy efficiency, effect on 99
- roof. *See Roof Styles*
- when to select 98

Attic

- access 30–31, 239
- cooling. *See Roof, Cool*
- fan. *See Fans, Cooling;*
See Roof, Cool
- insulation. *See Insulation of Roof*
- moisture venting 325–327
- storage space 30–31, 78–79

Awnings 161–162

B

Balcony 56–57

- as entrance cover 55
- for shading 161

Balloon Frame Construction 201

Basement

- block radon entry 273–275
See also Radon Mitigation
- block water entry 273–275
- decision to build 77
- foundation drainage 274–277
- ground water, as hindrance to 246
- insulation. *See Insulation of Basement*
- moisture venting 277–278
- walls. *See Walls, Basement*

Bathrooms. *See Bathtub Rooms;*
See Shower Rooms;
See Toilet Rooms

Bathtub 514–515

- hazard of falls **32, 37, 514**
- hot tub. *See* **Hot Tub**
- room for. *See* **Bathtub Room**
- spa **515**
- walk-in **515**
- weight on floor **37**

Bathtub Rooms 37**Beam Roof.** *See* **Roof, Beam****Bedrock 246–247.**

See also **Foundation**

Bedroom Clusters 68–69

See also **Floor Plan**

Bedrooms 26–27**Beds, Types 26–27****Bidet 520****Blue Light Hazard (LED) 559****Board-and-Batten Siding 104****Boiler, Heating 434–438**

- air supply, combustion **444–445**
- condensing **434–436**
- control, time **438**
- control, water temperature reset **437**
- flue **444–445**. *See also* **Flue**
- fueled with natural gas **434–436**
- fueled with oil **436–437**
- fueled with propane or LPG **436**
- fueled with solid fuels **436**
- fueled with wood **626, 629–630, 637–639**. *See also* **Heating with Firewood**
- leak detection **438, 451**.
See also **System Feeder, Hydronic**
- select, how to **437**
- sizing **437**
- space for **51–52**

Breakfast Room 43. *See also* **Dining Areas, Informal****Brick**

- arches **108–109**
- brick-and-block **106, 202, 310–311**
- brick shelf **87, 280, 309**
- brick veneer **87, 98–99, 106, 201, 309–310**
- decoration of **99, 103, 107–108**
- embodied energy **89**
- firebrick **640–641, 645**
- kinds of **106–107**
- over wide openings **397–398**
- paving, for patio **57**
- thermal lag **92**

Builder. *See* **Contractor****Building Codes 205–206**

- explanation **205–206**
- International Residential Code **205**

Butler Pantry 41**C****Capillary Break (for foundation) 254****Carbon Monoxide Hazard 495–496****Carpentry, Ornamental 131–134****Carpet 406, 407.** *See also* **Rugs****Carport 50–51**

- as entrance **54**

Caulking. *See* **Sealants****Ceiling**

- height **84–85**
- shapes **84–85**
- surfaces. *See* **Interior Surfaces**

Certification, Super House 621–622. *See also* **Contractor;**
See also **Design Assistance****Chair Lift 72.** *See also* **Elevator****Chimney**

- as decoration **112, 626**
- definition **643**
- fire hazard **641**
- for fireplace **640–641**

Clapboard Siding 104**Clerestory 168–171**

- comparison to other glazing **142**
- daylighting with **168–171**
- solar heating with **151–152**. *See also* **Solar Heating, Passive**

Closet Heater, Humidity Controlled 502–503**Closets, Broom 28****Closets, Clothes 27****Closets, Coat 28–29****Closets, Linen 28****Clothes Dryer 599–600****Clothesline Area 48****Clothes Washer 598–599****Coal 417**

See also **Energy Sources**

- cost comparison.
See **Energy Cost**
- for boilers **436, 637–639**
- for heating stoves **631, 633**
- handling **628**
- synthetic gas, from **418**
- synthetic oil, from **419**

Cold Weather Refuge Rooms 46**Color**

- color vision **551–552**
- for exterior decoration **111–112**
- for interior surfaces **564**
- lamp color output. *See* **Lamps**

Comfort

- effect of glass **36, 49, 149–150, 655**
- effect of insulation **306, 345, 413**

of cooling fans.

See **Fans, Cooling**

of evaporative coolers **486–487**

of heating stoves **626, 630, 634**

of heat pumps **454–455**

of hydronic heating. *See*
Heating System, Hydronic

of room heating equipment.

See **Heating Equipment, Room Heaters**

related to air flow. *See* **Ventilation, for Comfort Cooling**

related to humidity **498**

related to temperature **498**

Computer Program, Home Design 62–63**Concrete Block**

- foundation **186, 255**
- radon hazard **244**
- walls **202**

Concrete, Poured

- foundation **186–192, 250–254**
- steel reinforcement **252–254**
- structure **202**

Condensation

- from air conditioners **465**
- from condensing boilers & furnaces **435**
- from dehumidifiers **500–501**
- from heat pumps **465**
- how water vapor condenses **224–225**
- in house structure **224–225**.
See also **Condensation Damage in Structure, Preventing**
- on below-grade openings **74**

Condensation Damage in Structure, Preventing 224–230

- condensation damage, explained **224–225**
- damage prevention strategy **226**
- in cold & moderate climate **228**
- in humid sub-tropical climate **229**
- in tropical climate **230**
- mildew damage **229**

snow & ice damage **328**

with vapor barrier **226–230**.

See also **Vapor Barrier**

with venting **226, 228–230**.

See also **Venting, Moisture**

Condensing Boilers & Furnaces 435, 436.

See also **Boiler, Heating;**
See also **Furnace, Forced-Air**

Construction. *See* **House Construction****Contract for Construction 609–611**

- clauses **609–610**
- definition of contract **609**
- how to write **611**
- lawyer, hiring to write **611**
- payments **608**
- Super House clause **610–611**

Contractor 604–608. *See also* **Contract for Construction**

certification. *See* **Certification, Super House**

contract. *See* **Contract for Construction**

finding good contractor **604–606**. *See also*
Certification, Super House

payment **608, 609**

subcontractors **604, 608**

what they do **604**

what they don't do **604**

working with **606–607**

Convection Oven 594–595**Cooling**

- comfort
See **Air Conditioners;**
See **Evaporative Cooler;**
See **Fans, Cooling;**
See **Heat Pumps;**
See **Shading, for Cooling**
- food. *See* **Food Freezer;**
See **Refrigerator**
- roof. *See* **Roof, Cool**

Cooling Capacity

calculations **458–459**

Cool Roof. *See* **Roof, Cool****Corridor**

- width recommendations **70**

Cost

- frame vs. masonry construction **92**
- how to lower construction cost **86–88**
- of energy sources. *See* **Energy Cost;** *See* **Energy Sources**
- of equipment.
See **name of equipment**
- of house **86–88**
- of Super House **15**

Cove Lighting 571**Crawl Space 266–269**

- accessibility **268**
- floor above **266**
- freeze protection for pipes **268, 546**
- moisture from ground, block **267**
- radon protection **267–268**
See also **Radon Mitigation**

Curtains 165–166**D****Day Cluster (of rooms) 67**

See also **Floor Plan**

Daylighting 140, 167–175

- glare, avoiding **167**
- with clerestories **168–171**
- with light pipes **174–175**
- with skylights **172–174**
- with windows **167–168**

Deck (outdoor platform) 57

- as entrance cover **55**

Decoration.

- See also* **Architectural Style**
- of brick surfaces. *See* **Brick**
- of floors. *See* **Floor Surfaces**
- of roof. *See* **Roof Styles**
- of walls
See **Wall Surfaces, Exterior**
- of windows
See **Windows, Applications**

with color, exterior 111–112
 with color, interior 564
 with foliage
See Foliage;
See Landscaping
 with ornamental carpentry
See Ornamental Carpentry

Degree-Days. *See also Insulation, Amounts*

base temperatures for 210
 explained 210
 limitations 210
 of geographic locations 211–212

Dehumidifiers
See also Humidity, Lowering;
See also Mildew
 coordinate with air conditioning 501
 coordinate with cooling fans 501
 draining 500–501
 in laundry area 47
 in shower room 37
 installation 500–501
 selection 500
 where to use 499

Den 44

Design Assistance 621–622
 architect 621–622
See also Certification, Super House
 architectural drafting service 621
 certified designer. *See Certification, Super House*
 contractor 621. *See also Certification, Super House*
 engineer 621

Design, Home. *See Table of Contents*

aids 62–63
 assistance.
See Design Assistance
 certification, Super House 621–622
 computer program 62–63
 outline of 14

Dimensions. *See also Size*
 exploit standard dimensions 64
 in this book 64
 metric, nominal 62
 of drawings 618
 used in drawings 618

Dining Areas, Informal 42–43

Dining Room 43

Dishwasher 597–598

Door Locks 380–384
 cylinders & keys 382
 keyed-alike locks 382
 knobs & handles 382
 lock, biometric 382
 lock, deadbolt 381
 lock, keypad 382
 lock, latching 380
 lock, Segal deadbolt 381
 strike plate, reinforced 383

Doors, Entrance 374–384
See also Entrance Spaces
 ▶ Entrance Door Selection Guide 376–378
 frame molding 379
 glazing 377–378
 hinges, reinforced 384
 location 74
See also Floor Plan
 locks. *See Door Locks*
 materials 376–377
 opening style 376
 pre-fabricated assembly 378–379
 reinforcement 382–384
 R-value 376–377
 size 376
 storm door, avoid 379
 strength 239, 377
 threshold 374–375
 weatherstripping 375, 378

Doors, Garage & Larger 389–399
 ▶ Large Door Selection Guide 390–393
 air leakage 390
 appearance 390–391

counterbalances 392
 door, bi-fold 396
 door, hydraulic 395
 door, roll-up 394
 door, sectional 389
 door, side-hinged 394
 door, single-panel 395
 door, sliding 395
 door, tilt-up 394
 durability 391
 insulation 390
 openers, powered 393
 resistance to intrusion 392
 resistance to wind damage 239, 392
 safety features 393
 screen, garage door 48–49
 size limits 390
 wall opening 397–399
 windows 393

Doors, Interior 385–388
 door, accordion 388
 door, closet 387–388
 door, folding 388
 door, French 385–388
 door, hinged 385–388
 door, louvered 386
 door, pocket 386
 door, sliding 386–387
 width recommendations 70

Dormer
 framing 318
 interior appearance 123
 styles 117, 121–123

Double-Wall Construction 291

Drainage, Surface 248, 260, 275

Drains
 floor drains 52, 279, 444
 for condensing boilers & furnaces 435
 for dehumidifier 500–501
 for heat pump condensate 465
 sewer, during construction 189–190
 sewer, in floor plan 69–70

Drawings, Construction 612–620
 detail drawings, made easy 619
 scale & sizes 618
 specifications 619–620
 typical drawing set 613–615
 working drawings
See Drawings, Working

Drawings, Working (by reader) 61–64, 612, 619

Dressing Rooms 27–28

Drywall. *See Gypsum Board*

Ductless Air Conditioners 469

Ductless Heat Pumps 459–462

E

Earth-Coupled Heat Pump.
See Geothermal Heat Pump

Earthquakes
 locations of 243
 resistance to 242–243

Earth-Sheltered Construction 670–671

Electricity
See also Energy Sources
 characteristics 417
 cost comparison
See Energy Cost
 electrical wiring
See Wiring & Cable

Electric Resistance Heaters 471–474. *See also Heating Equipment, Room Heaters*
 energy efficiency 471

Elevator 70–72
See also Chair Lift

Embodied Energy 89–90

Emergency Exit
 from emergency shelter 59–60
 from upper level rooms 181

Emergency Shelter 46, 58–60

Energy Cost 419–421
 ▶ Energy Cost Worksheet 419–421
 energy cost comparison 419–421
 energy prices, sources 421

Energy Efficiency
 effect of architectural style 99
 effect of size of house 89–90
 Five Principles 15
 need for 14, 625
 of equipment
See name of equipment
 of glazing. *See Glazing, Efficiency Enhancement*
 of insulating materials
See Insulation, Amounts;
See Insulation, Materials
 of Super House 14
 ratings. *See Ratings*

Energy Factor (water heater) 523

Energy Sources 417–421
 coal 417. *See also Coal*
 comparison of energy sources 417–421
 cost of. *See Energy Cost*
 electricity 417
 for specific equipment
See name of equipment
 fuel oil 418–419
 natural gas 418
 pellet fuels 628, 633
 propane & LPG 418
 solar energy, for electricity generation. *See Solar Electricity Generation*
 solar energy, for heating 151–152.
See also Solar Heating, Active Systems;
See also Solar Heating, Passive
 wind energy 662
 wood
See Heating with Firewood

Energy Star. *See Ratings*

Entrance Spaces 52–55, 74.
See also Doors, Entrance
 alcove 54
 below grade, avoid 74–75
 canopy 54
 carport 54
 foyer 52–55
 mud room 52–55
 porch 54
 recessed 54
 roof overhang 55
 vestibule 52–55

Equipment Space 51–52

Evaporative Cooler 486–490
 2-stage 487
 climates for 487
 comfort limitations 486–487
 energy efficiency 488
 explained 486–487
 indirect 487
 installation 488–489
 maintenance burden 488
 mildew, avoiding 489
 water requirements 488–489

Expansion Rooms 67
See also Floor Plan

F

Fans
 anti-stratification 485
 bathroom 492
 ceiling. *See Fans, Cooling*
 comfort cooling. *See Fans, Cooling*
 paddle. *See Fans, Cooling*
 roof cooling. *See Roof, Cool*
 ventilation. *See Ventilation*

Fans, Cooling
 attic fan 480–481
 ceiling fans 482–484
 outside air (night cooling) fan 481–482
 roof cooling fans 341–342
 workshop fan, for cooling 494

Faucets

- basin & sink 516
- outside 521
- shower 512–513

Filters

- air 478, 600–601
- water. *See* **Water Treatment**

Fire Safety

- emergency exit 181
- insulation of structure for 345
- of chimney 641, 645
- of fireplace 628, 641
- of flue 643–645. *See also* **Flue**
- of fuels. *See* **name of fuel**
- of heating stove 628
- of insulation materials.
See **Insulation, Materials**
- of kitchen 40–41

Fireplace

- air leakage 643
- air pollution 640
- air supply 642
- comfort limitations 640
- damper 640
- design issues 641–642
- efficiency limitation 626, 640
- enclosed 642
- fireplace insert 643.
See also **Heating Stoves**
- fire safety zone 628
- flue 643–645
- freestanding 641–642
- gas-fired 479
- surrounding space 52, 628

Flat Roof

See **Roof Structure, Flat**

Flood Plain 249**Floor Heating**

- electric 473
- hydronic 431–434, 443

Floor, Overhanging

- for living space 76–77
- for shading 161

Floor Plan 61–75

- bedroom clusters 68–69
- corridors 70
- day cluster 67
- doors, exterior 74
- independent rooms 69
- load-bearing walls 65–66
- orient to neighbors 74
- orient to street 73
- orient to the sun 75. *See also* **Solar Heating, Passive**;
See also **Step 2**
- orient to view 73
- room groups 66–67
- wet walls 69–70

Floor Structure, Wooden

193–197, 282–288

- above crawl space 266, 287
- above wet ground 269, 287
- connection to foundation
200, 286
- insulation
See **Insulation of Floor**
- joist dimensions 285
- joists 193–197, 200, 282–285.
See also **I-Joist**
- joist spacing 285
- rim joists 193–197
- subfloor 194, 197, 200, 233,
285–286

Floor Surfaces 405–410

- ▶ **Floor Surface Comparison**
(table) 406
- carpet, wall-to-wall 406, 407
- ceramic floor tile 406, 407–408
- composition floor tile 406, 407
- concrete paint 406, 409
- hardwood parquet 406, 407
- hardwood strip 405–407
- rugs 406
- sheet flooring 406, 407–408
- terrazzo 406, 409

Floor Tile 406, 408–409**Flooring.** *See* **Floor Surfaces****Flue**

- air leakage around 334–335, 645
- air leakage through 643
- airtight flue. *See* **Sealed Combustion System**
- carbon monoxide hazard
495–496
- chimney. *See* **Chimney**
- damper 640, 645
- for oil-fired equipment 496
- for solid fuels 643–645

Foliage

- ▶ **Tree & Shrub Selection Guide**
156–157
- for exterior decoration 113–114
- for shading 153–158
- plan for growth 157–158
- preserve before construction 135

Food Freezer 590–591**Foundation** 250–269

- bedrock 246–247
- capillary break 254
- comparison of types 251
- drainage 275–277
- footing 254
- foundation type
See **Foundation, (Type)**
- frost heaving 247–248
- gravity drain 276
- height above grade 260
- poured concrete 252–253
- soil strength to support 247
- steel reinforcement 252–253
- sump pump 277

Foundation, Concrete Block
186, 251, 255**Foundation, Floating Slab**
251, 255–259

- cracking, prevention 258
- explained 255–256
- frost heaving, prevention
256–257
- height above grade 260

Foundation, Friction Piling
250–251**Foundation, Pier** 251, 259**Foundation, Shear Wall** 250–255

- basement wall 250
- dimensions 250
- explained 250
- footing 254
- partial-height 254–255
- poured concrete 252
- reinforcing steel 252–253

Foundation, Stem Wall 266–268**Foundation, Stone** 186, 251, 255**Foyer** 52–55**Frame Construction**

- balloon frame construction 201
- basics 193–201
- compared to masonry
construction 91–92
- condensation protection
See **Condensation Damage
in Structure, Preventing**
- floors. *See* **Floor Structure,
Wooden**
- moisture venting
See **Venting, Moisture**
- platform construction 193–200
- post-and-beam construction 201
- roof. *See* **Roof**
- walls. *See* **Walls, Frame**

Freeze Protection

- crawl space 268.
See also **Water Pipes**

Frost Depth 247–248**Frost Heaving** 247–248**Fuel Oil**

- See also* **Energy Sources**
- characteristics 418–419
- cost comparison
See **Energy Cost**
- leakage 475

Furnace Filters 478**Furnace, Forced-Air** 477–478

- See also* **Heating System,
Forced-Air**
- as space heater 477
- condensing. *See* **Condensing
Boilers & Furnaces**
- filters 478
- wood-burning
626, 629–630, 635–637

G**Gable**

- end wall reinforcement
314–315, 319
- end wall vents 340
- styles. *See* **Roof Styles**

Gambrel Roof

See **Roof Structure, Gambrel**

Garage 49–50

- as entrance 54
- clothes drying in 48
- door opening 398–400

Garage Door

See **Doors, Garage & Larger**

Gas

See **Natural Gas**;
See **Propane & LPG**

Geodesic Dome 672**Geothermal Heat Pump** 664–668

- basics 664–665
- heat source: soil 665–667
- heat source: surface water
667–668
- heat source: water well 667
- interior system, design 668
- unsolved problems 664–666

Gingerbread (decoration)

See **Ornamental Carpentry**

Glare

- definition 167
- from clerestories 171
- from lamps, fluorescent 560
- from lamps, incandescent 553

- from lamps, LED 571
- from light pipes 174
- from low sunlight 56
- from night lighting 579
- from outdoor lighting 580
- from roof surfaces 339
- from skylights 173–174
- from sunlight 167, 171, 654–655
- from task lighting 567–568
- from toilet room lighting 31–32
- from track lighting 571
- from water & snow 73, 178
- from windows 168
- from window shades 164–166
- in passive solar house 654–655
- protection from clerestory glare
171
- protection from light fixture
glare 564–566
- protection from skylight glare
173–174
- protection from solar glare
153–166, 167

Glazing, Applications

- ▶ **Glazing Comparison (table)**
142–143
- five functions of 140
- for appearance enhancement
140.
See also **Architectural Style**
- for daylighting. *See* **Daylighting**
- for solar heating 151–152. *See
also* **Solar Heating, Passive**
- for ventilation 140, 179–180
- for view 140. *See also* **View**
- heat loss, minimize 149, 153,
182–183
- in clerestories. *See* **Clerestories**
- in doors 377–378
- in light pipes 174–175
- in skylights. *See* **Skylights**
- in windows.
See **Windows, Applications**
- shading of glazing.
See **Shading, for Cooling**

Glazing, Efficiency Enhancement

- frame thermal break **364**
- insulating gases **361**
- low-E coating **359**
- minimize glazing area **149–150**
- movable insulation (thermal shutters) **150, 646–648**
- number of panes **361**
- storm window **373**
- tandem windows **371–372**

Glazing, Materials

- coating, heat filtering **360**
- coating, low-E **359**
- energy efficiency. *See* **Glazing, Efficiency Enhancement**
- glass, darkening **358**
- glass, decorative **358**
- glass, diffusing **357**
- glass, general **357**
- glass, impact-resistant **357**
- glass, mirror **358**
- glass, obscuring **358**
- glass, tinted **358**
- glazing, plastic **357**

Grade Beam **260****Great Room** **44–45****Grey Water Recycling** **676****Ground Water**

- at building site **246**
- basement, hindrance to **246**

Gutter Installation

- to keep foundation dry **260, 275**

Gypsum Board **308**

- noise reduction **345**

H**Half-Timbered Walls** **110****Hallway.** *See* **Corridor****Handicap Access**

- between floors **72**
- chair lift **72**
- elevator **72**

Hardwood Flooring **405–407****Header**

- in frame wall. *See* **Walls, Frame**
- over wide door. *See* **Doors, Garage & Larger**

Health. *See also* **Safety**

- air quality. *See* **Air Quality**; *See* **Ventilation, for Air Quality**
- mildew. *See* **Mildew**
- radon hazard. *See* **Radon**
- shower hazards **514**
- smoking hazards **72–73, 491**
- ventilation. *See* **Ventilation, for Air Quality**
- water supply. *See* **Water Treatment**

Heat Pumps **454–468.**

See also **Air Conditioners**

- advantages & disadvantages **454–455**
- air discharge temperature **454**
- air distribution **454, 465**
- best climates for **455**
- cold weather models **455**
- comfort limitations **454–455**
- condensate drainage **465**
- control features **464**
- cooling capacity, calculation **458–459**
- ductless **459–462**
- energy efficiency **454–455**
- energy efficiency, decline with outside temperature **454–455**
- energy efficiency, ratings **463–464**
- geothermal. *See* **Geothermal Heat Pump**
- heating capacity, calculation **458**
- heating capacity, decline with outside temperature **454**
- how they work **456–457**
- inside units, types **460–462**
- installation **465–468**
- noise ratings **464**
- refrigerant pipes **414, 465, 467–468**

selection of **459–463**

split-system **459–462**

supplemental heaters **462**

water heater **525–526**

zones, heating & cooling, defining **458**

Heat Radiation Barrier

- explained **337, 343–344**
- installation **318, 327, 343–344**

Heat Recovery

- appliances **669**
- from ventilation air **491**

Heating Capacity

- calculations **458**
- of equipment. *See* **name of equipment**

Heating Equipment, Room Heaters

- baseboard convector, electric **472**
- baseboard convector, hydronic **425–429.** *See also* **Heating System, Hydronic**
- ceiling heater, fan-forced **471**
- ceiling heating, radiant **473**
- fan-coil unit, hydronic **431.** *See also* **Heating System, Hydronic**
- fireplace, gas fired **479**
- fireplace, gas-fired. *See also* **Fireplace**
- floor heating, electric **473**
- floor heating, hydronic **431–434, 443.** *See also* **Heating System, Hydronic**
- furnace, forced-air **477–478**
- heating stove. *See* **Heating Stoves**
- heat lamp **474**
- portable electric heater **474**
- radiant heater, electric **474**
- radiant heater, gas-fired **479**
- radiator, electric **473**
- radiator, hydronic **430.** *See also* **Heating System, Hydronic**
- unit heater, electric **474**

unit heater, gas-fired **478**

unvented heaters **475**

venting gas-fired heaters **475, 477**

wall heater, fan-forced, electric **472–473**

wall heater, gas-fired **476–477**

Heating Recommendations

- avoid central forced-air heating **416**
- heating equipment comparison (table) **415**
- recommended primary systems **414, 417**

Heating Stoves **626, 629–635**

- air supply **634–635**
- catalytic wood stoves **631–632**
- coal stoves **631**
- comfort limitations **626, 630, 634**
- efficiency improvements **629–630**
- fireplace insert **643**
- fire safety **643**
- fire safety zone **628**
- flue **643–645**
- heating limitations **634**
- non-catalytic wood stoves **631–632**
- pellet stoves **631, 633**
- ratings, efficiency **631**
- ratings, pollution **631**
- selection issues **634–635**
- surrounding space **52, 628**

Heating System, Forced-Air **416****Heating System, Hydronic** **422–453**

- air binding **447**
- air, removing from system **445–448**
- air separator **448**
- air vent **448**
- boiler. *See* **Boiler, Heating**
- Builder's Hydronic System Checklist **440–441**
- check valves **451**
- components of **444**

contractor skill is critical **422**

expansion/pressurization tank **448–450**

filling **453**

freeze protection **452**

heating capacities, calculating **423–425**

heating zones, defining **423**

insulation **452**

leak detection **438, 451**

location of equipment **51–52**

pipes, routing & installing **451**

prefabricate loop components **445**

pressure setting **449–451**

primary-secondary pumping **442**

pumps **451**

purging **453**

room heating equipment, comparison (table) **427**

room heating equipment, types **425–434.** *See also* **Heating Equipment, Room Heaters**

system feeder. *See* **System Feeder**

system layout, for floor heating **443**

system layout, for most homes **438–442**

water treatment **452**

Heating with Firewood **626–645**

- fuel supply **627–628**
- how wood burns **629**
- in boiler, wood-fired **626–627, 629–630, 637–639.** *See also* **Boiler, Heating**
- in fireplace. *See* **Fireplace**
- in furnace, wood-fired **626–627, 630–631, 635–637.** *See also* **Furnace, Forced-Air**
- in heating stove. *See* **Heating Stoves**

Hip Roof. *See* **Roof Styles****Home Activities Worksheet** **19–25****Home Site Selection**

- bedrock **246–247**
- eroding cliff, on **249**
- eroding shoreline, on **249**
- flood plain **249**
- frost depth **247–248**
- glare from water view **178**
- ground water **246**
- radon **244–245**
- sinkholes **248**
- soil strength **247, 249**
- surface water drainage **248.** *See also* **Drainage, Surface**
- view. *See* **View**
- volcano, near **249**
- wet ground **269**

Hot Tub **137.** *See also* **Bathtub****Hot Water.** *See* **Water Heating****House Construction**

- basics (primer) **186–205**
- by homeowner **606–607**
- changes **607, 610.** *See also* **Contract for Construction**
- contract. *See* **Contract for Construction**
- contractor. *See* **Contractor**
- design. *See* **Design, Home**
- design assistance. *See* **Design Assistance**
- drawings. *See* **Drawings, Construction**
- frame vs. masonry **91–92**
- home site. *See* **Home Site Selection**
- masonry construction. *See* **Masonry Construction**
- materials, unusual **672–673**
- schedule **607, 609.** *See also* **Contract for Construction**
- shape of house **672–673**
- structure **185–408**

House Wrap **237****Humidifiers** **504**

Humidity, Lowering 497–503

See also **Mildew**

causes of humidity problems 498–499

in basement 503

in closets 502–503

with air conditioner 502

with dehumidifiers

See **Dehumidifiers**

with heating 502

with ventilation 502

See also **Ventilation, for Humidity Control**

Humidity, Raising 504**Hurricanes**

emergency shelter 58–60

locations of 241

protection against. See **Wind Damage, Preventing**

Hurricane Straps

239, 312–315, 319

HVAC 413–508

definition 413

equipment. See **name of equipment**

Hydronic Heating

See **Heating System, Hydronic**

I

Ice Dam 328. See also **Snow & Ice Protection**

I-Joist 193–197, 282–285

as rafters 319

cautions 283–285, 319

Independent Rooms 69

See also **Floor Plan**

Innovations

► in Super House 14–15

► Innovation symbol 14

air leakage around wiring, preventing 348–349

attic access 30–31

attic storage space 30–31, 78–79

certification of designers & contractors 621

clerestories for daylighting 168–171

closet heater, humidity controlled 502–503

clothes dryer stand 600

cold weather refuge rooms 46

combined control of air conditioner, dehumidifier & cooling fan 501

construction contract, Super House clause 610

cool roof 336–344

corners, strong 294

dehumidifier, built-in 501

dehumidifier in laundry area 47

dehumidifier in shower area 37

efficient glazed space 182

electric receptacle convenience 347

evaporative cooler, effective control 489

fluorescent fixture ballast switching 561

heat pumps for cold weather 455

home activities inventory 19

hydronic system feeder 450

insulation of existing walls 306

insulation of interior walls, floors & ceilings 345

insulation workmanship 223, 348

joists, precut holes in 284

kitchen fire safety 40–41

kitchen water filter enclosure 39

light switch identification 582

roof access 124

roof deck rot protection 330

roof, heat radiation barrier 343

roof overhang framing 121

roof truss, strengthening 316

roof truss, walkways 322

room clusters 66

sealants, proper use 233

shading combinations 166

shading for cooling 153

shower curb drainage 36

shower fixture mounting 34

shower water treatment 531

specifications, bind in drawings 620

steel reinforcement, better 252

storage room 29

strong room 29

sun shading, effective 153–167

super-insulation 207

task lighting 568

thermostatic control of ceiling fans 484

thermostatic control of outside air cooling 481

wall sheathing, strong attachment 297

wall sheathing to block air leakage 296

wall studs for super-insulation 291

wall studs, wiring notches 290

wash basin, comfortable height 517

water heater, reducing convection loss 525

water pipe, layout to avoid interference between fixtures 542

window security 367

window sill height for privacy 177

windows, replacement ease 368

windows, tandem installation 371

Instant Water Heater

electric 527

gas-fired 527–528

Insulation, Amounts

► Insulation Worksheet 213–217

Conduction Heat Loss formula 207

degree-days. See **Degree-Days**

R-value, calculation procedure 209–217

R-value, definition 207

R-values, of materials (table) 208

RSI (metric R-value), definition 208

super-insulation 207

Insulation, Materials 218–223

► insulation, explained 218

beadboard 222

cellulose, loose 221

cellulose, wet sprayed 222

fiber, glass 218–220

fiber, mineral 218–220

foam board 222

perlite 223

plastic foam beads 223

plastic foam, sprayed 223

polyisocyanurate 222

polystyrene, expanded 222

polystyrene, extruded 222

polyurethane 222

soil 223

straw 223

urea formaldehyde 223

vermiculite 223

Insulation of Basement 277–281

See also **Insulation of Foundation**

floor slab insulation 279–280

R-value

See **Insulation, Amounts**

wall insulation, exterior

278–279

wall insulation, interior 280–281

Insulation of Floor 287–288

overhanging floor 287–288

over vented space 288.

See also **Crawl Space**

Insulation of Foundation. See also **Insulation of Basement**

floating slab foundation

256–259

Insulation of Glazing

See **Glazing, Efficiency Enhancement**

Insulation of Interior Walls, Floors & Ceilings 345–346

for energy conservation 345

for fire safety 345

for noise reduction 346

Insulation of Roof 320–324

attic 321–323

beam roof 320–321

concrete roof 323–324

flat roof 323–324

R-value

See **Insulation, Amounts**

space for insulation 124

triangle-frame roof 320–321

truss roof 321–322

Insulation of Walls, Frame

existing walls, adding to 305–307

exterior walls 297–298

installation, correct 297–298

R-value

See **Insulation, Amounts**

vapor barrier

See **Vapor Barrier**

with cellulose 298

with fiber batts 200, 297

Insulation of Walls, Masonry 301–304

existing walls, adding to

306–307

exterior insulation 302–304

interior insulation 301–302

R-value

See **Insulation, Amounts**

vapor barrier, for interior insulation 302

Insulation of Water Pipes

See **Heating System, Hydronic;** See **Water Pipes**

Insulation, Workmanship

223, 297–298, 347–348

conflict with wiring, avoid 347–348

Insulation Worksheet 213–217**Interior Surfaces 200, 308**

color 564

floor. See **Floor Surfaces**

gypsum board 308

tile 289, 308, 406, 408–409

J**Joists**

See **Floor Structure, Wooden;** See **I-Joist**

K**Kitchen 38–41**

eat-in 42. See also **Dining Areas, Informal**

features 38–39

fire safety 40–41, 491

range hood 491

ventilation 39–40, 491–492

Knee Wall 81, 318**L****Lamps 553–563**

► Lamp Selection Guide 554–556

ballasts, fluorescent 561

color rendering 555

color temperature 555

compact fluorescent

554–556, 559–561

energy efficiency 554

fluorescent 554–556, 559–562

halogen 557

incandescent 553–557

LED

554–556, 557–559, 570–571

light distribution pattern 554

lumens 554

mercury vapor 554–556, 562

metal halide 554–556, 562

outdoor operating temperature 556

service life 554

sodium vapor 554–556, 562

starting delay 556

Landscaping

See also **Drainage, Surface;** See also **Foliage**

preserve original trees & shrubs 135

Last Look: Energy for Pioneers
625–676

Latitude

- definition 144
- effect on climate 146–147
- effect on shading 153, 160, 171
- effect on sun's position & timing 144–148

Laundry Area 46–47

- See also **Appliances**;
- See also **Clothesline Area**

Laundry Chute 48

Layout, Interior. See **Floor Plan**

Light

- infrared 141
- of lamps. See **Lamps**
- of sun. See **Sunlight**
- ultraviolet 141
- visible 140–141

Light Pipe 174–175

- comparison to other glazing 142
- for daylighting 174–175.
- See also **Daylighting**

Lighting 549–584

See also **Daylighting**

- ▶ Home Lighting Worksheet 572–577
- arrangement
- See **Lighting Layout**
- controls. See **Lighting Controls**
- fixtures. See **Lighting Fixtures**
- formula for ideal lighting 549
- glare. See **Glare**
- lamps. See **Lamps**
- light intensity. See **Sunlight**;
- See **Vision, Human**
- recommendations 572–577
- task lighting 567–569
- veiling reflections 566
- visual quality
- See **Vision, Human**

Lighting Controls 581–584

- astronomical timers 584
- daylight sensors 584
- door switches 584
- manual switches 581–582
- motion sensors 583
- switch identification 581–582

Lighting Fixtures 570–580

- built-in fixtures, where to install 570
- cove lighting 578
- low-voltage lighting 578
- night safety lights 579
- outdoor fixtures 580
- portable fixtures 570
- recommendations 572–577
- switches. See **Lighting Controls**
- task lighting 567–569
- track lighting 571
- valance fixtures 571, 578

Lighting Layout

- ▶ Home Lighting Worksheet 572–577
- glare, to avoid 564–566
- light interior colors, use 564
- shadows on scene, to avoid 567
- task lighting 567–569
- veiling reflections, to avoid 566

Lintel. See also **Header**

definition 398

Living Room 44

Load-Bearing Walls

- See **Walls, Interior**;
- See **Floor Plan**

Log House 672–673

Lumens (lighting) 554

M

Mansard Roof

See **Roof Structure, Mansard**

Masonry Construction

See also **Masonry, Materials**

- basics 201–204
- comparison to frame construction 91–92
- concrete frame 202
- foundation. See **Foundation**
- steel reinforcement 252–254
- thermal lag 92
- walls. See **Walls, Masonry**
- wall surfaces
- See **Wall Surfaces, Exterior**

Masonry, Materials

See also **Masonry Construction**

- brick. See **Brick**
- concrete block.
- See **Concrete Block**
- concrete, poured
- See **Concrete, Poured**
- filler blocks 202–204
- stone. See **Stone**
- strength characteristics 201–202

Microwave Oven 594–595

Mildew

- causes of 498–499
- cleaning 497
- explained 497
- in basement 503
- in closets 502–503
- in shower 493
- in structure
- See **Condensation Damage in Structure, Preventing**
- prevention with dehumidifiers 499–501
- See also **Dehumidifiers**
- prevention with heating 499
- prevention with ventilation 499
- See also **Ventilation, for Humidity Control**

Mold. See **Mildew**

Motion Sensors 508

Movable Insulation (for glazing)
646–648

Mud Room 52–55

Multi-Story House

- adding upper floor 94–95, 97
- decision to build 76–77
- relative cost 76, 87
- stairs. See **Stairs**
- temperature stratification 71

N

Natural Gas

See also **Energy Sources**

- characteristics 418
- cost comparison
- See **Energy Cost**
- equipment using. See **name of equipment**
- leakage to interior 475

Noise

- absorbing materials
- See **Gypsum Board**
- insulation to absorb 346
- interior doors, to block 385–388
- of equipment
- See **name of equipment**

O

Office (room type) 44

Off the Grid, Living 663

Oil, Heating. See **Fuel Oil**

Ornamental Carpentry 131–134

Outdoor Amenities 135–137

See also **Landscaping**

- coordination with floor plan 73–74
- hot tub 137
- in Home Activities Worksheet 25
- outbuildings 135
- swimming pool 135–137

Ovens & Broilers 594–595

Overhanging Floor

See **Floor, Overhanging**

P

Pantry 41–42

Parlor 45

Parquet (floor) 406–407

Passive Solar Heating

See **Solar Heating, Passive**

Patio 56–57

Pellet Stoves 631, 633

Perm Rating 226–227

Photovoltaic System

See **Solar Electricity Generation**

Pipes

- flue. See **Flue**
- natural gas 189
- refrigerant. See **Heat Pumps**
- sewer. See **Drains**
- underground 189–190
- water. See **Water Pipes**

Plans Books 61

Platform Construction 193–199

See also **Frame Construction**

Plumbing

- drains. See **Drains**
- fixtures. See **name of fixture**
- freeze protection
- See **Water Pipes**
- hot water. See **Water Heating**
- pipes. See **Water Pipes**
- vents, air leakage around 334–335

Plywood

- adhesives in 283
- inferior substitutes 285–286
- permeability, to moisture 225–228
- roof deck. See **Roof Deck**
- R-value (RSI) 208

subfloor

- See **Floor Structure, Wooden underlayment**
- See **Floor Structure, Wooden wall sheathing**
- See **Wall Sheathing, Exterior**

Pocket Doors 386

Porch 55–56

- as appearance enhancement 98, 112
- as entrance cover 55
- as entrance space 54, 55
- for clothes drying 48
- for protection against sliding snow & ice 125
- for shading 161
- privacy 56
- screened 56
- sun porch 56
- See also **Sunroom**

Post-and-Beam Construction 201

Pots & Pans 592, 593

Pressure Cooker 592–593

Privacy. See also **Security**

- by interior doors 385–388
- by interior shading fixtures 153, 164–166
- dressing room for 27
- glazing materials for 358
- porch, for 56
- toilet room design for 33
- window design for 36, 149, 176–178

Propane & LPG

- See also **Energy Sources**
- characteristics 418
- cost comparison
- See **Energy Cost**
- leakage to interior 475

Purlins (roof component)
331–332

Q**R****R-value (RSI)**

See **Insulation, Amounts**

Radiators. *See* **Heating Equipment, Room Heaters****Radon**

basics **244–245**
 dangers **244–245**
 entry from crawl space **245**
See also **Crawl Space**
 entry from soil **244–245**
 entry from water supply **245**
 in crawl spaces **267–268, 546**
 in showers **245, 514, 531**
 protection from
See **Radon Mitigation**;
See **Water Treatment**
 testing for **245**

Radon Mitigation 261–268

backdrafting, avoid **265**
 basics **261–263**
 for crawl spaces **267–268**
 monitoring **264**
 sizes, pipe and fan **263–265**
 sump pump system **265–266**
 system protection **264–265**
 under foundations **261–266**

Rainwater Recovery 674–675**Range, Conventional 591–593****Range Hood (kitchen)**

39–41, 424, 491, 595

Range, Induction 593–594**Ratings**

air conditioner efficiency (SEER) **469**
 appliance efficiency ratings **588**
 boiler efficiency (AFUE) **437**
 boiler, wood-fired **638**
 clothes washer (energy efficiency) **598**

clothes washer (water consumption) **598**
 doors (NFRC) **374**
 Energy Star rating system **588**
 heating stove (default efficiency) **631**
 heating stove (pollution) **631**
 heat pump cooling efficiency (SEER) **463**
 heat pump heating efficiency (HSPF) **463–464**
 heat pump noise (sone) **464**
 home electronics efficiency **601**
 insulation (R-value) **207–209**
 lamp color (color temperature) **552, 555**
 lamp color rendering (CRI) **552, 555**
 lamp energy efficiency **554**
 moisture permeability (perm) **226–228**
 skylight (NFRC) **400**
 water filter (NSF) **533, 537–538**
 water filter (pore size) **532–533**
 water heater (energy factor) **523**
 window (NFRC) **351, 368**

Rebar (steel) 252–254**Refrigerant 456–457****Refrigerator 589–590****Reverse Osmosis (water filter) 530–531, 534–535, 539****Ridge Vents 341****Roller Shades 164–165**

See also **Shading Fixtures, Interior**

Roof 312–344

access to rooftop **124**
 appearance. *See* **Roof Styles**
 cooling fans **341–342**
 cool roof. *See* **Roof, Cool**
 heat radiation barrier
See **Roof, Cool**
 insulation
See **Insulation of Roof**
 leaks **332**

living space in **77–83**
 overhang. *See* **Roof Overhang**
 shapes & styles (gallery) **116–125**
 slope **115**
 snow & ice protection
See **Snow & Ice Protection**
 structures, by type
See **Roof Structure, (Type)**
 styles. *See* **Roof Styles**
 surfaces. *See* **Roof Surfaces**
 underlayment **332–333**
 ventilation, for cooling **340–343**
 vents **340–341**
 weak shapes **124**
 wind damage, resistance **312–315**

Roof, Cool 336–344

components of **336–337**
 cooling by ventilation **340–343**
 cooling fans **341–342**
 cool surfaces **337–339**
See also **Roof Surfaces**
 heat radiation barrier **343–344**
 roof depth, extra **124**
 solar heating of surfaces **337–338**

Roof Deck 319, 330–332**Roof Overhang**

benefits **115**
 for entrance cover **55**
 for shading **159. *See also*** **Shading Fixtures, Exterior**
 framing, strong **316–317**

Roof Structure, A-Frame 117, 317–318, 672**Roof Structure, Beam**

defined **80**
 designs **80–81**
 insulation **320–321**
 moisture venting **327**
 rafter depth **318**
 secure both ends **319**

Roof Structure, Collar Beam 319–320**Roof Structure, Flat 83**

concrete deck **332**
 insulation **323–324**

Roof Structure, Gambrel 82, 118**Roof Structure, Mansard 82–83, 118****Roof Structure, Triangle-Frame**

connections, strong **317–318**
 description **81**
 insulation **320–321**
 moisture venting **327**
 rafter depth **318**

Roof Structure, Truss

advantages **78–79**
 defined **78**
 designs **78–79**
 disadvantage **79**
 insulation **321–322**
 moisture venting **325–327**
 trusses, strengthen **315–316**

Roof Styles

► style gallery **116–123**
 A-frame **117, 672**
 dormer. *See* **Dormer**
 Dutch hip **118**
 flat **120**
 gable **116–117, 121**
See also **Gable**
 gambrel **118**
 half hip **118**
 hip **117**
 mansard **118**
 overlapping shed **119**
 pagoda **119**
 pyramid **119**
 saltbox **118**
 shed **119**

Roof Surfaces

► Roof Surface Comparison (table) **127**
 ceramic tiles **128–129**
 cool **337–339**
 installation **334**
 metal panel **128–129**
 metal shingles and tiles **129–130**

shingles, asphalt **126–127**
 shingles, wood **130**
 slate **130**
 sod **130, 671, 673**
 solar heating of (table) **337–338**
 thatch **130**
 types **126–130**
 underlayment **332–333**

Rooms

See also **name of room**
 arrangement. *See* **Floor Plan**
 bedroom clusters **68–69**
 day cluster **67**
 design, by type **26–60**
 expansion rooms **67**
 independent rooms **69**
 room groups **66–69**

Rugs 406, 410. *See also* **Carpet****S****Safety**

See also **Security**;
See also **Health**
 bathtub **32, 37**
 building codes **205–206**
 carbon monoxide **495–496**
 emergency exit **181**
 emergency shelter **58–60**
 fire safety. *See* **Fire Safety**
 floor surfaces, slippery
See **Floor Surfaces**
 fuels. *See* **name of fuel**
 intrusion, resisting. *See* **Security**
 lighting, night safety.
See **Lighting Fixtures**
 radon. *See* **Radon**;
See **Radon Mitigation**
 roof access, safe **124**
 roof collapse
See **Roof Structure, Collar Beam**;
See **Roof Structure, Gambrel**;
See **Roof Structure, Triangle-Frame**;
See **Roof Structure, Truss**
 snow & ice, falling from roof
See **Snow & Ice Protection**

stairs. *See* **Stairs**
 windstorms
See **Wind Damage, Preventing**

Scene (lighting term) 550**Screened Porch 56****Sealants**

application, proper **233–234**
 materials **234–236**
 protection of **236**

Sealed Combustion System

See also **Flue**
 avoids carbon monoxide hazard **496**
 for boiler **444–445**
 for gas-fired room heaters **476**

Security

See also **Safety**
See also **Privacy**
 door locks. *See* **Door Locks**
 doors, reinforcement **382–384**
 garage door, reinforced **391–392**
 lighting. *See* **Lighting Fixtures**
 strong room **29–30**
 windows, intrusion-resistant **366–367**

SEER (cooling efficiency) 463–464**Sewing Room 44****Shading Fixtures, Exterior 158–163**

awnings **161–162**
 balcony **161**
 design of **158**
 false eaves **161**
 gable end overhangs **159–161**
 louvers, fixed **163**
 louvered shutters **162**
 louver panels **162**
 overhanging floor **161**
 porch **161**
 roof overhangs **159**
 south-facing glazing, for **159–160**
 trees & shrubs. *See* **Foliage**

Shading Fixtures, Interior

- 164–166**
- curtains & draperies **165–166**
- roller shades **164–165**
- venetian blinds **165**

Shading, for Cooling 153–166

- with exterior fixtures
See **Shading Fixtures, Exterior**
- with foliage **153–158**
- with interior shading devices
See **Shading Fixtures, Interior**

Sheetrock. *See* **Gypsum Board****Shingles, Roofing**

- asphalt **126–127**
- metal **129–130**
- wood **130**

Shower

- faucets **512–513**
- heads **513–514**
- health hazards **514**
- water treatment
See **Water Treatment**

Shower Rooms 32–37**Sill Plate 193, 195, 286, 292****Sinkholes 248****Sinks 516****Size.** *See also* **Dimensions**

- exploit standard sizes **64**
- metric real vs. nominal **64**
- of corridors **70**
- of doors **70**
- of drawings **618**
- of glazing **149–150, 153**
- of house **86–90**
- of rooms, to fit furnishings **65**
- of stairs **71**

Sky Temperature 180**Skylight 174–176, 400–404**

- ▶ Skylight Selection Guide **401–404**
- appearance **180**
- comparison to windows, clerestories & light pipes (table) **142–143**
- condensation damage **403–404**
- for daylighting **172–174**
See also **Daylighting**
- frame construction **403**
- glazing **402, 404**
See also **Glazing, Materials**
- heat loss **403**
- installation **400, 402**
- leakage **400, 402**
- openable **403**
- ratings **400**
- shading devices, integral **404**
- size **401**
- types **401**

Smoking Room 72–73**Snow & Ice Protection**

- ▶ Snow & Ice Protection Checklist **125**
- condensation damage **328**
- ice dams **328**
- roof shape **329**
- safety under eaves **125**
- snow fences, avoid **125, 329**

Sod Roof 671, 673**Soil**

- as heat source
See **Geothermal Heat Pump**
- as insulation **670**
- earth-sheltered house **670–671**
- frost depth **247–248**
- pressure **270–273**
See also **Walls, Basement**
- radon in **244–245**
See also **Radon**
- strength, to support foundation **247**
- temperature of deep soil **278**
- thermal lag **92, 670**
- water in **246**

Solar Collectors

- air heating. *See* **Solar Heating, Active Systems**
- photovoltaic. *See* **Solar Electricity Generation**
- water heating. *See* **Solar Heating, Active Systems**

Solar Electricity Generation 658–661

- access to sunlight **661**
- conflict with roof maintenance **661**
- energy output **658**
- how it works **658**
- system arrangements **659–661**

Solar Heating, Active Systems 649–653

- access to sunlight **650**
- all-air systems **653**
- dimensions **652**
- excess heat problem **652**
- freeze protection **652**
- solar collectors **649–651**
- space heating systems **651**
- water heating systems **651**

Solar Heating, Passive 654–657

- See also* **Glazing, Applications**
- access to winter sunlight **655**
- appeal of **654**
- design issues **656–657**
- problems of **654–655**
- with clerestories
See **Clerestories**
- with windows **151–152**

Spa. *See* **Bathtub**; *See* **Hot Tub****Specifications (construction) 619–620****Split-System Air Conditioners 469****Split-System Heat Pumps 459–462****Stairs**

- dimensions **71**
- handicap access **72**
- preventing stratification **71**
- safety **71**
- where to locate **70, 95**

Steel

- concrete reinforcement **252–254**
- rebar, improved **253**

Stem Wall 260, 266–268

- See also* **Foundation**

Stone

- foundation
See **Foundation, Stone**
- stone veneer **99, 109–110**
- thermal lag **92**
- walls. *See* **Walls, Stone**

Storage Rooms 29**Storm Door 379****Storm Windows 373****Stratification, Temperature**

- between floors **70–71**
- fans to prevent **485**
- stair isolation **71**
- tall ceilings, with **85**

Straw Bale House 673**Strong Room 29–30****Stucco 105****Studs, Wall.** *See* **Wall Studs****Style.** *See* **Architectural Style****Subfloor**

- See* **Floor Structure, Wooden**

Sump Pump 277

- radon removal system **265–266**

Sun, Motion of 141–148

- orient floor plan to **75**

Sun Position Charts 144–148**Sun & View Survey 147–148****Sunlight**

- components of **140–141**
- glare from. *See* **Glare**
- infrared **141**
- intensity of **167**
- ultraviolet **141**
- visible **140–141**

Sunroom 49, 182–183**Super-Insulation**

- amount of. *See* **Insulation, Amounts**
- as design principle **15, 207**
- of basement
See **Insulation of Basement**
- of floors
See **Insulation of Floor**
- of foundation
See **Insulation of Foundation of Walls, Frame**
- of roof. *See* **Insulation of Roof of Walls, Masonry.** *See* **Insulation of Walls, Masonry**

Swamp Cooler

- See* **Evaporative Cooler**

Swimming Pool 135–137**System Feeder (hydronic system) 450–451**

- for draining system **450–451**
- for leak protection **438, 451, 452**
- for purging system **453**
- for system pressurization **449, 450–451**
- for system water treatment **450, 452**
- location in system **439, 444**

T**Tandem Windows 371–372****Task Lighting 567–569****Terrazzo 406, 409****Thermal Lag 92****Thermal Shutters (glazing) 646–648****Thermostats**

- ▶ Programmable Thermostat Selection Guide **506**
- freeze protection **507**
- programmable **505–506**
- proper location **508**

Tile

- floor **408–409**
- interior surfaces **308**
- roof **129–130**

Time Controls

- clock switches **507**
- interval timers **505, 507**

Toilet Rooms 31–32**Toilets 517–520**

- convenience **519–520**
- conventional (siphon) toilets **517–518**
- pressure-flushing **517, 518**
- primitive & disgusting **519**
- recommended types **517**
- vacuum-assisted **519**

Tongue-and-Groove Decking 332**Tornadoes**

- emergency shelter **58–60**
- locations of **241–242**
- protection against. *See* **Wind Damage, Preventing**

Track Lighting 571**Trees & Shrubs.** *See* **Foliage****Triangle-Frame Roof.** *See* **Roof Structure, Triangle-Frame****Tubular Skylights.** *See* **Light Pipe****Turbine Ventilators 342****U****Underlayment**

- floor. *See* **Floor Structure, Wooden**
- roof surface **332–333**

Urinal 520–521

V**Valance Lighting** 571**Vapor Barrier**

- explained 226–228
- for frame walls & ceilings 299–300
- for masonry walls 302
- perm rating, explained 226
- perm ratings of materials (table) 227

Veiling Reflections 566–567**Venetian Blinds** 165. *See also Shading Fixtures, Interior***Ventilation, for Air Quality** 490–494

- by openable glazing 179
- by range hood. *See Range Hood*
- of kitchen 39, 491–492
- of toilet rooms 493
- of workshop 493–494

Ventilation, for Combustion Air.
See also Flue

- for equipment with open flames 496.
See also Kitchen
- through chase from attic 496
See Clerestories;
See Skylights;
See Windows
- through sealed combustion system. *See Sealed Combustion System*

Ventilation, for Comfort Cooling

- by fans. *See Fans, Cooling*
- by openable glazing 179
See also Clerestories;
See also Skylights;
See also Windows

Ventilation, for Humidity Control

- See also Venting, Moisture;*
See also Mildew
- by openable glazing
See Clerestories;
See Skylights;
See Windows
- limitations 502
- of bathtub room 492–493
- of crawl space
See Crawl Space
- of kitchen 491–492
- of laundry space 493
- of shower 492–493
- of toilet rooms 493

Ventilation, for Roof Cooling 336–337, 340–343**Venting, Combustion Gas**

- See Flue;*
See Heating Equipment, Room Heaters;
See Sealed Combustion System

Venting, Moisture

- See also Ventilation, for Humidity Control;*
See also Condensation Damage in Structure, Preventing
- basement 277–278
- insulation above roof 327
- roof 323–326
- walls, frame 300
- walls, masonry 302

Vestibule 52–55**View**

- glare from water & snow 178
- orient house toward 73
- window design for 176–178

Vinyl Siding 104**Vision, Human** 550–552

- color vision 551–552
- effect of age 550
- effect of contrast 550
- effect of glare 564–566
- effect of light intensity 550
- effect of veiling reflections 566–567

W**Wall Sheathing, Exterior**

- description 194, 198–200, 295–298
- as air leakage barrier 194, 295
- as base for exterior fixtures 295
- as base for exterior surfaces 194, 295–296
- as structural component 194, 239, 295
- installation 194, 199, 297
- materials 194, 295–296
- moisture permeability 227
See also Condensation Damage in Structure, Preventing
- thickness 296

Wall Studs

- described 194, 197, 200
- dimensions 289
- fabricated (thicker walls) 290–292
- solid (thinner walls) 290
- spacing 289, 290
- strength requirements 290
- wiring passages 290–291

Wall Surfaces, Exterior 308–311

- aluminum siding 104
- appearance 104–114
- blank walls, avoiding 112–114
- board-and-batten 104
- brick 106–108, 309–310, 398
- clapboard 104
- decoration with foliage 113
- decoration with ornaments 113
- half-timbered 110
- lightweight surfaces 104–106, 308
- painted 104, 111–112
- plastic (vinyl) siding 104
- shingles 104
- stone 109–110
- stone veneer 311, 398
- stucco 104

Walls, Basement 270–281

- See also Foundation*
- design for strength 271–273
- insulation 278–279, 280–281
- soil pressure 270–273

Walls, Frame

- condensation, prevention 299–300. *See also Condensation Damage in Structure, Preventing*
- corners, strong 294–295
- double-wall 291
- headers 194, 197, 292–293
- insulation. *See Insulation of Walls, Frame*
- moisture venting 300
See also Venting, Moisture
- openings 197
- openings for doors & windows 194, 197, 293–294
- plate, bottom 292
- plate, sole 292
- plate, top 292
- sheathing, exterior. *See Wall Sheathing, Exterior*
- sheathing, interior
See Interior Surfaces
- studs. *See Wall Studs*
- vapor barrier 299–300
See also Vapor Barrier

Walls, Interior

- insulation.
See Insulation of Interior Walls, Floors & Ceilings
- load-bearing 65–66, 189, 191
- wet walls 69–70

Walls, Masonry

- basement. *See Walls, Basement*
- brick-and-block 310
- concrete block 202
- concrete frame 202
- filler blocks 202–204
- insulation. *See Insulation of Walls, Masonry*
- interior surfaces. *See Interior Surfaces*
- moisture venting 302, 304.
See also Venting, Moisture

- stone-on-block 311
- stone walls 109–110, 201–202
- vapor barrier 302. *See also Vapor Barrier*

Walls, Stone 109–110, 201–202**Wash Basins** 516

- faucets 516
- height 517

Water

- consumption, by use 512
- faucets. *See Faucets*
- filters. *See Water Treatment*
- heaters. *See Water Heating*
- in soil. *See Ground Water*
- pipes. *See Water Pipes*
- rainwater recovery 674–675
- treatment. *See Water Treatment*
- waste water recovery 676
- well water.
See Water Treatment;
See Well Water

Water Hammer 543–544**Water Heating** 522–529

- delay at faucet, minimizing 529
- electricity cost, lowering 523
- energy sources for 522
- energy use for 511
- hot water recirculation 529
- pipe heat loss, reducing 525
- space for water heater 51–52
- temperature setting 524
- water heater, conventional (storage) 522–525
- water heater, direct-venting 523–524
- water heater, heat pump 525–526
- water heater, solar. *See Solar Heating, Active Systems*
- water heater, space heating boiler as 528
- water heater, tankless, electric 527
- water heater, tankless, gas-fired 527–528

Water Pipes 542–546

- ease of repair 542
- freeze protection 544–546
- insulation 544
- layout, for water treatment 543
- layout, to avoid interference between fixtures 542–543
- layout, to minimize hot water delay 529
- main water valve 544
- water hammer, preventing 543–544

Water Softener

534–535, 536–537, 538–539

Water Treatment 530–541

- methods & equipment (table) 534–535
- recommendations, by usage 530–532
- filter, carbon 533, 534–535, 536–538
- filter, ceramic 534–535, 540
- filter, reverse osmosis 534–535, 539
- filters, sediment 534–535, 536
- filter, ultraviolet 534–535, 540–541
- for hydronic heating system 452
- pollutants (table) 534–535
- testing water supply 532
- water softener
See Water Softener
- well water. *See Well Water*

Well Water

- as heat source & sink. *See Geothermal Heat Pump*
- radon hazard 245
See also Radon
- treatment
See Water Treatment

Wet Walls 69–70*See also Floor Plan*

Wind Damage, Preventing

- ▶ Wind Protection Checklist **239**
- hurricanes **241**
- roof design for **312–315**
- tornadoes **241–242**

Wind Energy 662**Window Sills, Fancy**
103, 289, 368, 371**Window Terminology 353****Windows, Applications**

See also Glazing, Applications

- comparison to clerestories, skylights & light pipes **142–143**
- for appearance enhancement **100–103, 140, 180**
- for daylighting **167–168**
See also Daylighting
- for emergency exit **181**
- for solar heating **151–152**
See also Glazing, Applications;
See also Solar Heating, Passive
- for ventilation **179**
See also Ventilation
- for view **176–178**
See also View
- in shower rooms **36**
- in toilet rooms **32**
- privacy, design for **176–178**
See also Privacy
- shading
See Shading, for Cooling
- sizing, to reduce heat loss **149–150**

Windows, Installation

- finned windows, easy replacement **368–370**
- mounting features **364–365**
- tandem windows **371–372**
- unframed glass **370**
- windows without finned frame **370**

Windows, Materials & Components

- frame materials **362–364**
- glazing edge seals **362**
- glazing materials
See Glazing, Materials
- insulating fill gases **361**
- number of panes **361**
- spacing between panes **361–362**
- thermal break (metal frames) **364**
- weatherstripping **365–366**

Windows, Selection Factors

- ▶ Window Selection Guide **352–367**
- ▶ recommendations **350–351**
- ability to replace glazing **366**
- ability to replace weatherstripping **366**
- cleaning, ease **352**
- fixed or openable **352**
- mounting method **364–365**
- openable windows, styles **353–356**. *See also Windows, Types of Opening*
- ratings, NFRC **351, 368**
- resistance to intrusion **366–367**
- resistance to storm damage **239, 366–367**
- service life **350**
- shape **352**
- size **352**

Windows, Types of Opening
354–356

- awning **355**
- casement, inward swinging **355**
- casement, outward swinging **355**
- combination hinged (tilt-turn) **356**
- double-hung **354–356**
- hopper **356**
- jalousie (louver) **356**
- slider, horizontal (glider) **354–356**
- slider, vertical (single-hung) **354–356**
- storm windows **373**

Wiring & Cable

- air leakage around, prevent **348–349**
- convenience features **347**
- insulation interference, avoid **347–348**
- passages in joists **284**
- passages in wall studs **290–291**
- underground **189–190**

Wood

- as heating fuel **627–628, 629**
- fireplace. *See Fireplace*
- floor structure. *See Floor Structure, Wooden*
- floor surfaces
See Floor Surfaces
- house construction
See Frame Construction
- pellet fuels **631, 633**
- roof. *See Roof*
- walls. *See Walls, Frame*
- wood-fired heating equipment
See Heating with Firewood

Workshop 51

- in garage. *See Garage*
- ventilation **493–494**

X, Y**Z****Zero-Energy House 663**

ENERGYBOOKS.COM