

INDEX

200-Year Rule 243

A

Addition to Existing House
15, 93–97

- adding stairs 95
- adding upper floors 94–95
- expanding at same level 95
- expanding upward and outward 97

Adhesives. *See also Sealants*
cautions 283
functions 283

A-frame 117, 317–318, 672

Air Binding (in hydronic heating)
447

Air Cleaner 600–601

Air Conditioners 469–470
See also Heat Pumps
central, avoid 416, 470
compared to heat pumps 469
ductless 469
energy efficiency ratings 463
how they work 456–457
split-system 469
window-type 469–470

Air Filters 478

Air Leakage

- around doors 231, 374–375, 378, 379
- around flue 334–335, 645
- around plumbing vents 334–335
- around windows 231. *See also Windows, Installation*
- holes & gaps, minimize sizes 232
- prevention, with house wrap 237
- prevention, with overlapping joints 233

- prevention, with sealants 233–236. *See also Sealants*
- prevention, with wall sheathing 194, 233, 295–296
- through fireplace 640
- through flue damper 643, 645
- through interior of structure 231
- through leaky windows 231
- through penetrations 231
- through structural joints 231
- through wiring holes 348

Air Quality

- & airtight construction 231, 490
- ventilation. *See Ventilation, for Air Quality*

Airtight Construction.

- See Air Leakage;*
- See Air Quality;*
- See Health*

Aluminum Siding 104

Anchor Bolts 200, 239, 286

Appliances 587–601

- efficiency ratings 588
- features. *See name of appliance*
- heat recovery appliances 669
- shopping for 587
 - ▶ air cleaner 600–601
 - ▶ clothes dryer 599–600
 - ▶ clothes washer 598–599
 - ▶ convection oven 594–595
 - ▶ dishwasher 597–598
 - ▶ electronic appliances 601
 - ▶ food freezer 590–591
 - ▶ microwave oven 594–595
 - ▶ oven & broiler 594–595
 - ▶ pressure cooker 592–593
 - ▶ range, conventional 591–593
 - ▶ range, induction 593–594
 - ▶ refrigerator 589–590

Architect. *See Design Assistance*

Architectural Style 98–99

- alternatives to blank walls 112–114
- alternatives to excessive glass area 112–114
- decoration. *See Decoration*
- defining features 98
- energy efficiency, effect on 99
- roof. *See Roof Styles*
- when to select 98

Attic

- access 30–31, 239
- cooling. *See Roof, Cool*
- fan. *See Fans, Cooling;*
See Roof, Cool
- insulation. *See Insulation of Roof*
- moisture venting 325–327
- storage space 30–31, 78–79

Awnings 161–162

B

Balcony 56–57

- as entrance cover 55
- for shading 161

Balloon Frame Construction 201

Basement

- block radon entry 273–275
See also Radon Mitigation
- block water entry 273–275
- decision to build 77
- foundation drainage 274–277
- ground water, as hindrance to 246
- insulation. *See Insulation of Basement*
- moisture venting 277–278
- walls. *See Walls, Basement*

Bathrooms. *See Bathtub Rooms;*
See Shower Rooms;
See Toilet Rooms

Bathtub 514–515

- hazard of falls **32, 37, 514**
- hot tub. *See* **Hot Tub**
- room for. *See* **Bathtub Room**
- spa **515**
- walk-in **515**
- weight on floor **37**

Bathtub Rooms 37**Beam Roof.** *See* **Roof, Beam****Bedrock 246–247.**

See also **Foundation**

Bedroom Clusters 68–69

See also **Floor Plan**

Bedrooms 26–27**Beds, Types 26–27****Bidet 520****Blue Light Hazard (LED) 559****Board-and-Batten Siding 104****Boiler, Heating 434–438**

- air supply, combustion **444–445**
- condensing **434–436**
- control, time **438**
- control, water temperature reset **437**
- flue **444–445**. *See also* **Flue**
- fueled with natural gas **434–436**
- fueled with oil **436–437**
- fueled with propane or LPG **436**
- fueled with solid fuels **436**
- fueled with wood **626, 629–630, 637–639**. *See also* **Heating with Firewood**
- leak detection **438, 451**.
See also **System Feeder, Hydronic**
- select, how to **437**
- sizing **437**
- space for **51–52**

Breakfast Room 43. *See also* **Dining Areas, Informal****Brick**

- arches **108–109**
- brick-and-block **106, 202, 310–311**
- brick shelf **87, 280, 309**
- brick veneer **87, 98–99, 106, 201, 309–310**
- decoration of **99, 103, 107–108**
- embodied energy **89**
- firebrick **640–641, 645**
- kinds of **106–107**
- over wide openings **397–398**
- paving, for patio **57**
- thermal lag **92**

Builder. *See* **Contractor****Building Codes 205–206**

- explanation **205–206**
- International Residential Code **205**

Butler Pantry 41**C****Capillary Break (for foundation) 254****Carbon Monoxide Hazard 495–496****Carpentry, Ornamental 131–134****Carpet 406, 407.** *See also* **Rugs****Carport 50–51**

- as entrance **54**

Caulking. *See* **Sealants****Ceiling**

- height **84–85**
- shapes **84–85**
- surfaces. *See* **Interior Surfaces**

Certification, Super House 621–622. *See also* **Contractor;** *See also* **Design Assistance****Chair Lift 72.** *See also* **Elevator****Chimney**

- as decoration **112, 626**
- definition **643**
- fire hazard **641**
- for fireplace **640–641**

Clapboard Siding 104**Clerestory 168–171**

- comparison to other glazing **142**
- daylighting with **168–171**
- solar heating with **151–152**. *See also* **Solar Heating, Passive**

Closet Heater, Humidity Controlled 502–503**Closets, Broom 28****Closets, Clothes 27****Closets, Coat 28–29****Closets, Linen 28****Clothes Dryer 599–600****Clothesline Area 48****Clothes Washer 598–599****Coal 417**

See also **Energy Sources**

- cost comparison.
See **Energy Cost**
- for boilers **436, 637–639**
- for heating stoves **631, 633**
- handling **628**
- synthetic gas, from **418**
- synthetic oil, from **419**

Cold Weather Refuge Rooms 46**Color**

- color vision **551–552**
- for exterior decoration **111–112**
- for interior surfaces **564**
- lamp color output. *See* **Lamps**

Comfort

- effect of glass **36, 49, 149–150, 655**
- effect of insulation **306, 345, 413**

of cooling fans.

See **Fans, Cooling**

of evaporative coolers **486–487**

of heating stoves **626, 630, 634**

of heat pumps **454–455**

of hydronic heating. *See* **Heating System, Hydronic**

of room heating equipment.

See **Heating Equipment, Room Heaters**

related to air flow. *See* **Ventilation, for Comfort Cooling**

related to humidity **498**

related to temperature **498**

Computer Program, Home Design 62–63**Concrete Block**

- foundation **186, 255**
- radon hazard **244**
- walls **202**

Concrete, Poured

- foundation **186–192, 250–254**
- steel reinforcement **252–254**
- structure **202**

Condensation

- from air conditioners **465**
- from condensing boilers & furnaces **435**
- from dehumidifiers **500–501**
- from heat pumps **465**
- how water vapor condenses **224–225**
- in house structure **224–225**.
See also **Condensation Damage in Structure, Preventing**
- on below-grade openings **74**

Condensation Damage in Structure, Preventing 224–230

- condensation damage, explained **224–225**
- damage prevention strategy **226**
- in cold & moderate climate **228**
- in humid sub-tropical climate **229**
- in tropical climate **230**
- mildew damage **229**

snow & ice damage **328**

with vapor barrier **226–230**.

See also **Vapor Barrier**

with venting **226, 228–230**.

See also **Venting, Moisture**

Condensing Boilers & Furnaces 435, 436.

See also **Boiler, Heating;**
See also **Furnace, Forced-Air**

Construction. *See* **House Construction****Contract for Construction 609–611**

- clauses **609–610**
- definition of contract **609**
- how to write **611**
- lawyer, hiring to write **611**
- payments **608**
- Super House clause **610–611**

Contractor 604–608. *See also* **Contract for Construction**

certification. *See* **Certification, Super House**

contract. *See* **Contract for Construction**

finding good contractor **604–606**. *See also* **Certification, Super House**

payment **608, 609**

subcontractors **604, 608**

what they do **604**

what they don't do **604**

working with **606–607**

Convection Oven 594–595**Cooling**

- comfort
See **Air Conditioners;**
See **Evaporative Cooler;**
See **Fans, Cooling;**
See **Heat Pumps;**
See **Shading, for Cooling**
- food. *See* **Food Freezer;**
See **Refrigerator**
- roof. *See* **Roof, Cool**

Cooling Capacity

- calculations **458–459**

Cool Roof. *See* **Roof, Cool****Corridor**

- width recommendations **70**

Cost

- frame vs. masonry construction **92**
- how to lower construction cost **86–88**
- of energy sources. *See* **Energy Cost;** *See* **Energy Sources**
- of equipment.
See **name of equipment**
- of house **86–88**
- of Super House **15**

Cove Lighting 571**Crawl Space 266–269**

- accessibility **268**
- floor above **266**
- freeze protection for pipes **268, 546**
- moisture from ground, block **267**
- radon protection **267–268**
See also **Radon Mitigation**

Curtains 165–166**D****Day Cluster (of rooms) 67**

See also **Floor Plan**

Daylighting 140, 167–175

- glare, avoiding **167**
- with clerestories **168–171**
- with light pipes **174–175**
- with skylights **172–174**
- with windows **167–168**

Deck (outdoor platform) 57

- as entrance cover **55**

Decoration.

- See also* **Architectural Style**
- of brick surfaces. *See* **Brick**
- of floors. *See* **Floor Surfaces**
- of roof. *See* **Roof Styles**
- of walls
See **Wall Surfaces, Exterior**
- of windows
See **Windows, Applications**

with color, exterior 111–112
 with color, interior 564
 with foliage
See Foliage;
See Landscaping
 with ornamental carpentry
See Ornamental Carpentry

Degree-Days. *See also Insulation, Amounts*

base temperatures for 210
 explained 210
 limitations 210
 of geographic locations 211–212

Dehumidifiers
See also Humidity, Lowering;
See also Mildew
 coordinate with air conditioning 501
 coordinate with cooling fans 501
 draining 500–501
 in laundry area 47
 in shower room 37
 installation 500–501
 selection 500
 where to use 499

Den 44

Design Assistance 621–622
 architect 621–622
See also Certification, Super House
 architectural drafting service 621
 certified designer. *See Certification, Super House*
 contractor 621. *See also Certification, Super House*
 engineer 621

Design, Home. *See Table of Contents*

aids 62–63
 assistance.
See Design Assistance
 certification, Super House 621–622
 computer program 62–63
 outline of 14

Dimensions. *See also Size*
 exploit standard dimensions 64
 in this book 64
 metric, nominal 62
 of drawings 618
 used in drawings 618

Dining Areas, Informal 42–43

Dining Room 43

Dishwasher 597–598

Door Locks 380–384
 cylinders & keys 382
 keyed-alike locks 382
 knobs & handles 382
 lock, biometric 382
 lock, deadbolt 381
 lock, keypad 382
 lock, latching 380
 lock, Segal deadbolt 381
 strike plate, reinforced 383

Doors, Entrance 374–384
See also Entrance Spaces
 ▶ Entrance Door Selection Guide 376–378

frame molding 379
 glazing 377–378
 hinges, reinforced 384
 location 74
See also Floor Plan
 locks. *See Door Locks*
 materials 376–377
 opening style 376
 pre-fabricated assembly 378–379
 reinforcement 382–384
 R-value 376–377
 size 376
 storm door, avoid 379
 strength 239, 377
 threshold 374–375
 weatherstripping 375, 378

Doors, Garage & Larger 389–399
 ▶ Large Door Selection Guide 390–393
 air leakage 390
 appearance 390–391

counterbalances 392
 door, bi-fold 396
 door, hydraulic 395
 door, roll-up 394
 door, sectional 389
 door, side-hinged 394
 door, single-panel 395
 door, sliding 395
 door, tilt-up 394
 durability 391
 insulation 390
 openers, powered 393
 resistance to intrusion 392
 resistance to wind damage 239, 392
 safety features 393
 screen, garage door 48–49
 size limits 390
 wall opening 397–399
 windows 393

Doors, Interior 385–388
 door, accordion 388
 door, closet 387–388
 door, folding 388
 door, French 385–388
 door, hinged 385–388
 door, louvered 386
 door, pocket 386
 door, sliding 386–387
 width recommendations 70

Dormer
 framing 318
 interior appearance 123
 styles 117, 121–123

Double-Wall Construction 291

Drainage, Surface 248, 260, 275

Drains
 floor drains 52, 279, 444
 for condensing boilers & furnaces 435
 for dehumidifier 500–501
 for heat pump condensate 465
 sewer, during construction 189–190
 sewer, in floor plan 69–70

Drawings, Construction 612–620
 detail drawings, made easy 619
 scale & sizes 618
 specifications 619–620
 typical drawing set 613–615
 working drawings
See Drawings, Working

Drawings, Working (by reader) 61–64, 612, 619

Dressing Rooms 27–28

Drywall. *See Gypsum Board*

Ductless Air Conditioners 469

Ductless Heat Pumps 459–462

E

Earth-Coupled Heat Pump.
See Geothermal Heat Pump

Earthquakes
 locations of 243
 resistance to 242–243

Earth-Sheltered Construction 670–671

Electricity
See also Energy Sources
 characteristics 417
 cost comparison
See Energy Cost
 electrical wiring
See Wiring & Cable

Electric Resistance Heaters 471–474. *See also Heating Equipment, Room Heaters*
 energy efficiency 471

Elevator 70–72
See also Chair Lift

Embodied Energy 89–90

Emergency Exit
 from emergency shelter 59–60
 from upper level rooms 181

Emergency Shelter 46, 58–60

Energy Cost 419–421
 ▶ Energy Cost Worksheet 419–421
 energy cost comparison 419–421
 energy prices, sources 421

Energy Efficiency
 effect of architectural style 99
 effect of size of house 89–90
 Five Principles 15
 need for 14, 625
 of equipment
See name of equipment
 of glazing. *See Glazing, Efficiency Enhancement*
 of insulating materials
See Insulation, Amounts;
See Insulation, Materials
 of Super House 14
 ratings. *See Ratings*

Energy Factor (water heater) 523

Energy Sources 417–421
 coal 417. *See also Coal*
 comparison of energy sources 417–421
 cost of. *See Energy Cost*
 electricity 417
 for specific equipment
See name of equipment
 fuel oil 418–419
 natural gas 418
 pellet fuels 628, 633
 propane & LPG 418
 solar energy, for electricity generation. *See Solar Electricity Generation*
 solar energy, for heating 151–152.
See also Solar Heating, Active Systems;
See also Solar Heating, Passive
 wind energy 662
 wood
See Heating with Firewood

Energy Star. *See Ratings*

Entrance Spaces 52–55, 74.
See also Doors, Entrance
 alcove 54
 below grade, avoid 74–75
 canopy 54
 carport 54
 foyer 52–55
 mud room 52–55
 porch 54
 recessed 54
 roof overhang 55
 vestibule 52–55

Equipment Space 51–52

Evaporative Cooler 486–490
 2-stage 487
 climates for 487
 comfort limitations 486–487
 energy efficiency 488
 explained 486–487
 indirect 487
 installation 488–489
 maintenance burden 488
 mildew, avoiding 489
 water requirements 488–489

Expansion Rooms 67
See also Floor Plan

F

Fans
 anti-stratification 485
 bathroom 492
 ceiling. *See Fans, Cooling*
 comfort cooling. *See Fans, Cooling*
 paddle. *See Fans, Cooling*
 roof cooling. *See Roof, Cool*
 ventilation. *See Ventilation*

Fans, Cooling
 attic fan 480–481
 ceiling fans 482–484
 outside air (night cooling) fan 481–482
 roof cooling fans 341–342
 workshop fan, for cooling 494

Faucets

- basin & sink 516
- outside 521
- shower 512–513

Filters

- air 478, 600–601
- water. *See* **Water Treatment**

Fire Safety

- emergency exit 181
- insulation of structure for 345
- of chimney 641, 645
- of fireplace 628, 641
- of flue 643–645. *See also* **Flue**
- of fuels. *See* **name of fuel**
- of heating stove 628
- of insulation materials.
See **Insulation, Materials**
- of kitchen 40–41

Fireplace

- air leakage 643
- air pollution 640
- air supply 642
- comfort limitations 640
- damper 640
- design issues 641–642
- efficiency limitation 626, 640
- enclosed 642
- fireplace insert 643.
See also **Heating Stoves**
- fire safety zone 628
- flue 643–645
- freestanding 641–642
- gas-fired 479
- surrounding space 52, 628

Flat Roof

See **Roof Structure, Flat**

Flood Plain 249**Floor Heating**

- electric 473
- hydronic 431–434, 443

Floor, Overhanging

- for living space 76–77
- for shading 161

Floor Plan 61–75

- bedroom clusters 68–69
- corridors 70
- day cluster 67
- doors, exterior 74
- independent rooms 69
- load-bearing walls 65–66
- orient to neighbors 74
- orient to street 73
- orient to the sun 75. *See also* **Solar Heating, Passive**;
See also **Step 2**
- orient to view 73
- room groups 66–67
- wet walls 69–70

Floor Structure, Wooden

193–197, 282–288

- above crawl space 266, 287
- above wet ground 269, 287
- connection to foundation
200, 286
- insulation
See **Insulation of Floor**
- joist dimensions 285
- joists 193–197, 200, 282–285.
See also **I-Joist**
- joist spacing 285
- rim joists 193–197
- subfloor 194, 197, 200, 233,
285–286

Floor Surfaces 405–410

- Floor Surface Comparison
(table) 406
- carpet, wall-to-wall 406, 407
- ceramic floor tile 406, 407–408
- composition floor tile 406, 407
- concrete paint 406, 409
- hardwood parquet 406, 407
- hardwood strip 405–407
- rugs 406
- sheet flooring 406, 407–408
- terrazzo 406, 409

Floor Tile 406, 408–409**Flooring.** *See* **Floor Surfaces****Flue**

- air leakage around 334–335, 645
- air leakage through 643
- airtight flue. *See* **Sealed Combustion System**
- carbon monoxide hazard
495–496
- chimney. *See* **Chimney**
- damper 640, 645
- for oil-fired equipment 496
- for solid fuels 643–645

Foliage

- Tree & Shrub Selection Guide
156–157
- for exterior decoration 113–114
- for shading 153–158
- plan for growth 157–158
- preserve before construction 135

Food Freezer 590–591**Foundation** 250–269

- bedrock 246–247
- capillary break 254
- comparison of types 251
- drainage 275–277
- footing 254
- foundation type
See **Foundation, (Type)**
- frost heaving 247–248
- gravity drain 276
- height above grade 260
- poured concrete 252–253
- soil strength to support 247
- steel reinforcement 252–253
- sump pump 277

Foundation, Concrete Block
186, 251, 255**Foundation, Floating Slab**
251, 255–259

- cracking, prevention 258
- explained 255–256
- frost heaving, prevention
256–257
- height above grade 260

Foundation, Friction Piling
250–251**Foundation, Pier** 251, 259**Foundation, Shear Wall** 250–255

- basement wall 250
- dimensions 250
- explained 250
- footing 254
- partial-height 254–255
- poured concrete 252
- reinforcing steel 252–253

Foundation, Stem Wall 266–268**Foundation, Stone** 186, 251, 255**Foyer** 52–55**Frame Construction**

- balloon frame construction 201
- basics 193–201
- compared to masonry
construction 91–92
- condensation protection
See **Condensation Damage
in Structure, Preventing**
- floors. *See* **Floor Structure,
Wooden**
- moisture venting
See **Venting, Moisture**
- platform construction 193–200
- post-and-beam construction 201
- roof. *See* **Roof**
- walls. *See* **Walls, Frame**

Freeze Protection

- crawl space 268.
See also **Water Pipes**

Frost Depth 247–248**Frost Heaving** 247–248**Fuel Oil**

- See also* **Energy Sources**
- characteristics 418–419
- cost comparison
See **Energy Cost**
- leakage 475

Furnace Filters 478**Furnace, Forced-Air** 477–478

- See also* **Heating System,
Forced-Air**
- as space heater 477
- condensing. *See* **Condensing
Boilers & Furnaces**
- filters 478
- wood-burning
626, 629–630, 635–637

G**Gable**

- end wall reinforcement
314–315, 319
- end wall vents 340
- styles. *See* **Roof Styles**

Gambrel Roof

See **Roof Structure, Gambrel**

Garage 49–50

- as entrance 54
- clothes drying in 48
- door opening 398–400

Garage Door

See **Doors, Garage & Larger**

Gas

See **Natural Gas**;
See **Propane & LPG**

Geodesic Dome 672**Geothermal Heat Pump** 664–668

- basics 664–665
- heat source: soil 665–667
- heat source: surface water
667–668
- heat source: water well 667
- interior system, design 668
- unsolved problems 664–666

Gingerbread (decoration)

See **Ornamental Carpentry**

Glare

- definition 167
- from clerestories 171
- from lamps, fluorescent 560
- from lamps, incandescent 553

- from lamps, LED 571
- from light pipes 174
- from low sunlight 56
- from night lighting 579
- from outdoor lighting 580
- from roof surfaces 339
- from skylights 173–174
- from sunlight 167, 171, 654–655
- from task lighting 567–568
- from toilet room lighting 31–32
- from track lighting 571
- from water & snow 73, 178
- from windows 168
- from window shades 164–166
- in passive solar house 654–655
- protection from clerestory glare
171
- protection from light fixture
glare 564–566
- protection from skylight glare
173–174
- protection from solar glare
153–166, 167

Glazing, Applications

- Glazing Comparison (table)
142–143
- five functions of 140
- for appearance enhancement
140.
See also **Architectural Style**
- for daylighting. *See* **Daylighting**
- for solar heating 151–152. *See
also* **Solar Heating, Passive**
- for ventilation 140, 179–180
- for view 140. *See also* **View**
- heat loss, minimize 149, 153,
182–183
- in clerestories. *See* **Clerestories**
- in doors 377–378
- in light pipes 174–175
- in skylights. *See* **Skylights**
- in windows.
See **Windows, Applications**
- shading of glazing.
See **Shading, for Cooling**

Glazing, Efficiency Enhancement

- frame thermal break 364
- insulating gases 361
- low-E coating 359
- minimize glazing area 149–150
- movable insulation (thermal shutters) 150, 646–648
- number of panes 361
- storm window 373
- tandem windows 371–372

Glazing, Materials

- coating, heat filtering 360
- coating, low-E 359
- energy efficiency. *See* **Glazing, Efficiency Enhancement**
- glass, darkening 358
- glass, decorative 358
- glass, diffusing 357
- glass, general 357
- glass, impact-resistant 357
- glass, mirror 358
- glass, obscuring 358
- glass, tinted 358
- glazing, plastic 357

Grade Beam 260**Great Room** 44–45**Grey Water Recycling** 676**Ground Water**

- at building site 246
- basement, hindrance to 246

Gutter Installation

- to keep foundation dry 260, 275

Gypsum Board 308

- noise reduction 345

H**Half-Timbered Walls** 110**Hallway.** *See* **Corridor****Handicap Access**

- between floors 72
- chair lift 72
- elevator 72

Hardwood Flooring 405–407**Header**

- in frame wall. *See* **Walls, Frame**
- over wide door. *See* **Doors, Garage & Larger**

Health. *See also* **Safety**

- air quality. *See* **Air Quality**; *See* **Ventilation, for Air Quality**
- mildew. *See* **Mildew**
- radon hazard. *See* **Radon**
- shower hazards 514
- smoking hazards 72–73, 491
- ventilation. *See* **Ventilation, for Air Quality**
- water supply. *See* **Water Treatment**

Heat Pumps 454–468.

See also **Air Conditioners**

- advantages & disadvantages 454–455
- air discharge temperature 454
- air distribution 454, 465
- best climates for 455
- cold weather models 455
- comfort limitations 454–455
- condensate drainage 465
- control features 464
- cooling capacity, calculation 458–459
- ductless 459–462
- energy efficiency 454–455
- energy efficiency, decline with outside temperature 454–455
- energy efficiency, ratings 463–464
- geothermal. *See* **Geothermal Heat Pump**
- heating capacity, calculation 458
- heating capacity, decline with outside temperature 454
- how they work 456–457
- inside units, types 460–462
- installation 465–468
- noise ratings 464
- refrigerant pipes 414, 465, 467–468

selection of 459–463

split-system 459–462

supplemental heaters 462

water heater 525–526

zones, heating & cooling, defining 458

Heat Radiation Barrier

explained 337, 343–344

installation 318, 327, 343–344

Heat Recovery

appliances 669

from ventilation air 491

Heating Capacity

calculations 458

of equipment

See **name of equipment**

Heating Equipment, Room Heaters

baseboard convector, electric 472

baseboard convector, hydronic 425–429. *See also* **Heating System, Hydronic**

ceiling heater, fan-forced 471

ceiling heating, radiant 473

fan-coil unit, hydronic 431

See also **Heating System, Hydronic**

fireplace, gas fired 479

fireplace, gas-fired

See also **Fireplace**

floor heating, electric 473

floor heating, hydronic 431–434, 443. *See also* **Heating System, Hydronic**

furnace, forced-air 477–478

heating stove

See **Heating Stoves**

heat lamp 474

portable electric heater 474

radiant heater, electric 474

radiant heater, gas-fired 479

radiator, electric 473

radiator, hydronic 430

See also **Heating System, Hydronic**

unit heater, electric 474

unit heater, gas-fired 478

unvented heaters 475

venting gas-fired heaters

475, 477

wall heater, fan-forced, electric

472–473

wall heater, gas-fired 476–477

Heating Recommendations

avoid central forced-air heating 416

heating equipment comparison (table) 415

recommended primary systems 414, 417

Heating Stoves 626, 629–635

air supply 634–635

catalytic wood stoves 631–632

coal stoves 631

comfort limitations 626, 630, 634

efficiency improvements 629–630

fireplace insert 643

fire safety 643

fire safety zone 628

flue 643–645

heating limitations 634

non-catalytic wood stoves 631–632

pellet stoves 631, 633

ratings, efficiency 631

ratings, pollution 631

selection issues 634–635

surrounding space 52, 628

Heating System, Forced-Air 416**Heating System, Hydronic** 422–453

air binding 447

air, removing from system 445–448

air separator 448

air vent 448

boiler. *See* **Boiler, Heating**

Builder's Hydronic System Checklist 440–441

check valves 451

components of 444

contractor skill is critical 422

expansion/pressurization tank 448–450

filling 453

freeze protection 452

heating capacities, calculating 423–425

heating zones, defining 423

insulation 452

leak detection 438, 451

location of equipment 51–52

pipes, routing & installing 451

prefabricate loop components 445

pressure setting 449–451

primary-secondary pumping 442

pumps 451

purging 453

room heating equipment, comparison (table) 427

room heating equipment, types 425–434. *See also* **Heating Equipment, Room Heaters**

system feeder

See **System Feeder**

system layout, for floor heating 443

system layout, for most homes 438–442

water treatment 452

Heating with Firewood 626–645

fuel supply 627–628

how wood burns 629

in boiler, wood-fired 626–627, 629–630, 637–639

See also **Boiler, Heating**

in fireplace. *See* **Fireplace**

in furnace, wood-fired 626–627, 630–631, 635–637

See also **Furnace, Forced-Air**

in heating stove

See **Heating Stoves**

Hip Roof. *See* **Roof Styles****Home Activities Worksheet** 19–25**Home Site Selection**

- bedrock 246–247
- eroding cliff, on 249
- eroding shoreline, on 249
- flood plain 249
- frost depth 247–248
- glare from water view 178
- ground water 246
- radon 244–245
- sinkholes 248
- soil strength 247, 249
- surface water drainage 248. *See also* **Drainage, Surface**
- view. *See* **View**
- volcano, near 249
- wet ground 269

Hot Tub 137. *See also* **Bathtub****Hot Water.** *See* **Water Heating****House Construction**

- basics (primer) 186–205
- by homeowner 606–607
- changes 607, 610. *See also* **Contract for Construction**
- contract. *See* **Contract for Construction**
- contractor. *See* **Contractor**
- design. *See* **Design, Home**
- design assistance. *See* **Design Assistance**
- drawings. *See* **Drawings, Construction**
- frame vs. masonry 91–92
- home site. *See* **Home Site Selection**
- masonry construction. *See* **Masonry Construction**
- materials, unusual 672–673
- schedule 607, 609. *See also* **Contract for Construction**
- shape of house 672–673
- structure 185–408

House Wrap 237**Humidifiers** 504

Humidity, Lowering 497–503*See also* **Mildew**causes of humidity problems
498–499in basement **503**in closets **502–503**with air conditioner **502**

with dehumidifiers

See **Dehumidifiers**with heating **502**with ventilation **502***See also* **Ventilation, for Humidity Control****Humidity, Raising 504****Hurricanes**emergency shelter **58–60**locations of **241**protection against. *See* **Wind Damage, Preventing****Hurricane Straps****239, 312–315, 319****HVAC 413–508**definition **413**equipment. *See* **name of equipment****Hydronic Heating***See* **Heating System, Hydronic****I****Ice Dam 328.** *See also*
Snow & Ice Protection**I-Joist 193–197, 282–285**as rafters **319**cautions **283–285, 319****Independent Rooms 69***See also* **Floor Plan****Innovations**▶ in Super House **14–15**▶ Innovation symbol **14**air leakage around wiring,
preventing **348–349**attic access **30–31**attic storage space **30–31, 78–79**certification of designers
& contractors **621**clerestories for daylighting
168–171closet heater, humidity controlled
502–503clothes dryer stand **600**cold weather refuge rooms **46**combined control of air
conditioner, dehumidifier &
cooling fan **501**construction contract,
Super House clause **610**cool roof **336–344**corners, strong **294**dehumidifier, built-in **501**dehumidifier in laundry area **47**dehumidifier in shower area **37**efficient glazed space **182**electric receptacle convenience
347evaporative cooler, effective
control **489**fluorescent fixture ballast
switching **561**heat pumps for cold weather **455**home activities inventory **19**hydronic system feeder **450**insulation of existing walls **306**insulation of interior walls,
floors & ceilings **345**insulation workmanship
223, 348joists, precut holes in **284**kitchen fire safety **40–41**kitchen water filter enclosure **39**light switch identification **582**roof access **124**roof deck rot protection **330**roof, heat radiation barrier **343**roof overhang framing **121**roof truss, strengthening **316**roof truss, walkways **322**room clusters **66**sealants, proper use **233**shading combinations **166**shading for cooling **153**shower curb drainage **36**shower fixture mounting **34**shower water treatment **531**specifications, bind in drawings
620steel reinforcement, better **252**storage room **29**strong room **29**sun shading, effective **153–167**super-insulation **207**task lighting **568**thermostatic control of ceiling
fans **484**thermostatic control of outside
air cooling **481**wall sheathing, strong attachment
297wall sheathing to block air
leakage **296**wall studs for super-insulation
291wall studs, wiring notches **290**wash basin, comfortable height
517water heater, reducing
convection loss **525**water pipe, layout to avoid
interference between fixtures
542window security **367**window sill height for privacy
177windows, replacement ease **368**windows, tandem installation
371**Instant Water Heater**electric **527**gas-fired **527–528****Insulation, Amounts**▶ Insulation Worksheet **213–217**Conduction Heat Loss formula
207degree-days. *See* **Degree-Days**R-value, calculation procedure
209–217R-value, definition **207**R-values, of materials (table)
208RSI (metric R-value), definition
208super-insulation **207****Insulation, Materials 218–223**▶ insulation, explained **218**beadboard **222**cellulose, loose **221**cellulose, wet sprayed **222**fiber, glass **218–220**fiber, mineral **218–220**foam board **222**perlite **223**plastic foam beads **223**plastic foam, sprayed **223**polyisocyanurate **222**polystyrene, expanded **222**polystyrene, extruded **222**polyurethane **222**soil **223**straw **223**urea formaldehyde **223**vermiculite **223****Insulation of Basement 277–281***See also* **Insulation of Foundation**floor slab insulation **279–280**

R-value

See **Insulation, Amounts**wall insulation, exterior
278–279wall insulation, interior **280–281****Insulation of Floor 287–288**overhanging floor **287–288**over vented space **288.***See also* **Crawl Space****Insulation of Foundation.** *See**also* **Insulation of Basement**floating slab foundation
256–259**Insulation of Glazing***See* **Glazing, Efficiency Enhancement****Insulation of Interior Walls, Floors & Ceilings 345–346**for energy conservation **345**for fire safety **345**for noise reduction **346****Insulation of Roof 320–324**attic **321–323**beam roof **320–321**concrete roof **323–324**flat roof **323–324**

R-value

See **Insulation, Amounts**space for insulation **124**triangle-frame roof **320–321**truss roof **321–322****Insulation of Walls, Frame**existing walls, adding to
305–307exterior walls **297–298**installation, correct **297–298**

R-value

See **Insulation, Amounts**

vapor barrier

See **Vapor Barrier**with cellulose **298**with fiber batts **200, 297****Insulation of Walls, Masonry 301–304**existing walls, adding to
306–307exterior insulation **302–304**interior insulation **301–302**

R-value

See **Insulation, Amounts**vapor barrier, for interior
insulation **302****Insulation of Water Pipes***See* **Heating System, Hydronic;**
See **Water Pipes****Insulation, Workmanship****223, 297–298, 347–348**conflict with wiring, avoid
347–348**Insulation Worksheet 213–217****Interior Surfaces 200, 308**color **564**floor. *See* **Floor Surfaces**gypsum board **308**tile **289, 308, 406, 408–409****J****Joists***See* **Floor Structure, Wooden;**
See **I-Joist****K****Kitchen 38–41**eat-in **42.** *See also* **Dining Areas, Informal**features **38–39**fire safety **40–41, 491**range hood **491**ventilation **39–40, 491–492****Knee Wall 81, 318****L****Lamps 553–563**▶ Lamp Selection Guide
554–556ballasts, fluorescent **561**color rendering **555**color temperature **555**compact fluorescent
554–556, 559–561energy efficiency **554**fluorescent **554–556, 559–562**halogen **557**incandescent **553–557**

LED

554–556, 557–559, 570–571light distribution pattern **554**lumens **554**mercury vapor **554–556, 562**metal halide **554–556, 562**outdoor operating temperature
556service life **554**sodium vapor **554–556, 562**starting delay **556****Landscaping***See also* **Drainage, Surface;**
See also **Foliage**preserve original trees & shrubs
135

Last Look: Energy for Pioneers
625–676

Latitude

- definition 144
- effect on climate 146–147
- effect on shading 153, 160, 171
- effect on sun's position & timing 144–148

Laundry Area 46–47

- See also **Appliances**;
- See also **Clothesline Area**

Laundry Chute 48

Layout, Interior. See **Floor Plan**

Light

- infrared 141
- of lamps. See **Lamps**
- of sun. See **Sunlight**
- ultraviolet 141
- visible 140–141

Light Pipe 174–175

- comparison to other glazing 142
- for daylighting 174–175.
- See also **Daylighting**

Lighting 549–584

- See also **Daylighting**

- ▶ Home Lighting Worksheet 572–577

arrangement

- See **Lighting Layout**

controls. See **Lighting Controls**

fixtures. See **Lighting Fixtures**

formula for ideal lighting 549

glare. See **Glare**

lamps. See **Lamps**

light intensity. See **Sunlight**;

- See **Vision, Human**

recommendations 572–577

task lighting 567–569

veiling reflections 566

visual quality

- See **Vision, Human**

Lighting Controls 581–584

- astronomical timers 584
- daylight sensors 584
- door switches 584
- manual switches 581–582
- motion sensors 583
- switch identification 581–582

Lighting Fixtures 570–580

- built-in fixtures, where to install 570
- cove lighting 578
- low-voltage lighting 578
- night safety lights 579
- outdoor fixtures 580
- portable fixtures 570
- recommendations 572–577
- switches. See **Lighting Controls**
- task lighting 567–569
- track lighting 571
- valance fixtures 571, 578

Lighting Layout

- ▶ Home Lighting Worksheet 572–577
- glare, to avoid 564–566
- light interior colors, use 564
- shadows on scene, to avoid 567
- task lighting 567–569
- veiling reflections, to avoid 566

Lintel. See also **Header**

definition 398

Living Room 44

Load-Bearing Walls

- See **Walls, Interior**;
- See **Floor Plan**

Log House 672–673

Lumens (lighting) 554

M

Mansard Roof

- See **Roof Structure, Mansard**

Masonry Construction

- See also **Masonry, Materials**

- basics 201–204
- comparison to frame construction 91–92
- concrete frame 202
- foundation. See **Foundation**
- steel reinforcement 252–254
- thermal lag 92
- walls. See **Walls, Masonry**
- wall surfaces
- See **Wall Surfaces, Exterior**

Masonry, Materials

- See also **Masonry Construction**

- brick. See **Brick**
- concrete block.
- See **Concrete Block**
- concrete, poured
- See **Concrete, Poured**
- filler blocks 202–204
- stone. See **Stone**
- strength characteristics 201–202

Microwave Oven 594–595

Mildew

- causes of 498–499
- cleaning 497
- explained 497
- in basement 503
- in closets 502–503
- in shower 493
- in structure
- See **Condensation Damage in Structure, Preventing**
- prevention with dehumidifiers 499–501
- See also **Dehumidifiers**
- prevention with heating 499
- prevention with ventilation 499
- See also **Ventilation, for Humidity Control**

Mold. See **Mildew**

Motion Sensors 508

Movable Insulation (for glazing)
646–648

Mud Room 52–55

Multi-Story House

- adding upper floor 94–95, 97
- decision to build 76–77
- relative cost 76, 87
- stairs. See **Stairs**
- temperature stratification 71

N

Natural Gas

- See also **Energy Sources**

- characteristics 418
- cost comparison
- See **Energy Cost**
- equipment using. See **name of equipment**
- leakage to interior 475

Noise

- absorbing materials
- See **Gypsum Board**
- insulation to absorb 346
- interior doors, to block 385–388
- of equipment
- See **name of equipment**

O

Office (room type) 44

Off the Grid, Living 663

Oil, Heating. See **Fuel Oil**

Ornamental Carpentry 131–134

Outdoor Amenities 135–137

- See also **Landscaping**

- coordination with floor plan 73–74

hot tub 137

in Home Activities Worksheet 25

outbuildings 135

swimming pool 135–137

Ovens & Broilers 594–595

Overhanging Floor

- See **Floor, Overhanging**

P

Pantry 41–42

Parlor 45

Parquet (floor) 406–407

Passive Solar Heating

- See **Solar Heating, Passive**

Patio 56–57

Pellet Stoves 631, 633

Perm Rating 226–227

Photovoltaic System

- See **Solar Electricity Generation**

Pipes

- flue. See **Flue**
- natural gas 189
- refrigerant. See **Heat Pumps**
- sewer. See **Drains**
- underground 189–190
- water. See **Water Pipes**

Plans Books 61

Platform Construction 193–199

- See also **Frame Construction**

Plumbing

- drains. See **Drains**
- fixtures. See **name of fixture**
- freeze protection
- See **Water Pipes**
- hot water. See **Water Heating**
- pipes. See **Water Pipes**
- vents, air leakage around 334–335

Plywood

- adhesives in 283
- inferior substitutes 285–286
- permeability, to moisture 225–228
- roof deck. See **Roof Deck**
- R-value (RSI) 208

subfloor

- See **Floor Structure, Wooden underlayment**
- See **Floor Structure, Wooden wall sheathing**
- See **Wall Sheathing, Exterior**

Pocket Doors 386

Porch 55–56

- as appearance enhancement 98, 112
- as entrance cover 55
- as entrance space 54, 55
- for clothes drying 48
- for protection against sliding snow & ice 125
- for shading 161
- privacy 56
- screened 56
- sun porch 56
- See also **Sunroom**

Post-and-Beam Construction 201

Pots & Pans 592, 593

Pressure Cooker 592–593

Privacy. See also **Security**

- by interior doors 385–388
- by interior shading fixtures 153, 164–166
- dressing room for 27
- glazing materials for 358
- porch, for 56
- toilet room design for 33
- window design for 36, 149, 176–178

Propane & LPG

- See also **Energy Sources**
- characteristics 418
- cost comparison
- See **Energy Cost**
- leakage to interior 475

Purlins (roof component)
331–332

Q

R

R-value (RSI)

See **Insulation, Amounts**

Radiators. See **Heating Equipment, Room Heaters**

Radon

basics **244–245**

dangers **244–245**

entry from crawl space **245**

See also **Crawl Space**

entry from soil **244–245**

entry from water supply **245**

in crawl spaces **267–268, 546**

in showers **245, 514, 531**

protection from

See **Radon Mitigation;**

See **Water Treatment**

testing for **245**

Radon Mitigation **261–268**

backdrafting, avoid **265**

basics **261–263**

for crawl spaces **267–268**

monitoring **264**

sizes, pipe and fan **263–265**

sump pump system **265–266**

system protection **264–265**

under foundations **261–266**

Rainwater Recovery **674–675**Range, Conventional **591–593**

Range Hood (kitchen)

39–41, 424, 491, 595

Range, Induction **593–594**

Ratings

air conditioner efficiency (SEER) **469**

appliance efficiency ratings **588**

boiler efficiency (AFUE) **437**

boiler, wood-fired **638**

clothes washer (energy efficiency) **598**

clothes washer (water consumption) **598**

doors (NFRC) **374**

Energy Star rating system **588**

heating stove (default efficiency) **631**

heating stove (pollution) **631**

heat pump cooling efficiency (SEER) **463**

heat pump heating efficiency (HSPF) **463–464**

heat pump noise (sone) **464**

home electronics efficiency **601**

insulation (R-value) **207–209**

lamp color (color temperature) **552, 555**

lamp color rendering (CRI) **552, 555**

lamp energy efficiency **554**

moisture permeability (perm) **226–228**

skylight (NFRC) **400**

water filter (NSF) **533, 537–538**

water filter (pore size) **532–533**

water heater (energy factor) **523**

window (NFRC) **351, 368**

Rebar (steel) **252–254**Refrigerant **456–457**Refrigerator **589–590**

Reverse Osmosis (water filter)

530–531, 534–535, 539

Ridge Vents **341**Roller Shades **164–165**

See also **Shading Fixtures, Interior**

Roof **312–344**

access to rooftop **124**

appearance. See **Roof Styles**

cooling fans **341–342**

cool roof. See **Roof, Cool**

heat radiation barrier

See **Roof, Cool**

insulation

See **Insulation of Roof**

leaks **332**

living space in **77–83**

overhang. See **Roof Overhang**

shapes & styles (gallery)

116–125

slope **115**

snow & ice protection

See **Snow & Ice Protection**

structures, by type

See **Roof Structure, (Type)**

styles. See **Roof Styles**

surfaces. See **Roof Surfaces**

underlayment **332–333**

ventilation, for cooling **340–343**

vents **340–341**

weak shapes **124**

wind damage, resistance

312–315

Roof, Cool **336–344**

components of **336–337**

cooling by ventilation **340–343**

cooling fans **341–342**

cool surfaces **337–339**

See also **Roof Surfaces**

heat radiation barrier **343–344**

roof depth, extra **124**

solar heating of surfaces

337–338

Roof Deck **319, 330–332**

Roof Overhang

benefits **115**

for entrance cover **55**

for shading **159**. See also

Shading Fixtures, Exterior

framing, strong **316–317**

Roof Structure, A-Frame

117, 317–318, 672

Roof Structure, Beam

defined **80**

designs **80–81**

insulation **320–321**

moisture venting **327**

rafter depth **318**

secure both ends **319**

Roof Structure, Collar Beam

319–320

Roof Structure, Flat **83**

concrete deck **332**

insulation **323–324**

Roof Structure, Gambrel **82, 118**

Roof Structure, Mansard

82–83, 118

Roof Structure, Triangle-Frame

connections, strong **317–318**

description **81**

insulation **320–321**

moisture venting **327**

rafter depth **318**

Roof Structure, Truss

advantages **78–79**

defined **78**

designs **78–79**

disadvantage **79**

insulation **321–322**

moisture venting **325–327**

trusses, strengthen **315–316**

Roof Styles

► style gallery **116–123**

A-frame **117, 672**

dormer. See **Dormer**

Dutch hip **118**

flat **120**

gable **116–117, 121**

See also **Gable**

gambrel **118**

half hip **118**

hip **117**

mansard **118**

overlapping shed **119**

pagoda **119**

pyramid **119**

saltbox **118**

shed **119**

Roof Surfaces

► Roof Surface Comparison (table) **127**

ceramic tiles **128–129**

cool **337–339**

installation **334**

metal panel **128–129**

metal shingles and tiles **129–130**

shingles, asphalt **126–127**

shingles, wood **130**

slate **130**

sod **130, 671, 673**

solar heating of (table) **337–338**

thatch **130**

types **126–130**

underlayment **332–333**

Rooms

See also **name of room**

arrangement. See **Floor Plan**

bedroom clusters **68–69**

day cluster **67**

design, by type **26–60**

expansion rooms **67**

independent rooms **69**

room groups **66–69**

Rugs **406, 410**. See also **Carpet**

S

Safety

See also **Security;**

See also **Health**

bathtub **32, 37**

building codes **205–206**

carbon monoxide **495–496**

emergency exit **181**

emergency shelter **58–60**

fire safety. See **Fire Safety**

floor surfaces, slippery

See **Floor Surfaces**

fuels. See **name of fuel**

intrusion, resisting. See **Security**

lighting, night safety.

See **Lighting Fixtures**

radon. See **Radon;**

See **Radon Mitigation**

roof access, safe **124**

roof collapse

See **Roof Structure, Collar**

Beam;

See **Roof Structure, Gambrel;**

See **Roof Structure,**

Triangle-Frame;

See **Roof Structure, Truss**

snow & ice, falling from roof

See **Snow & Ice Protection**

stairs. See **Stairs**

windstorms

See **Wind Damage, Preventing**

Scene (lighting term) **550**Screened Porch **56**

Sealants

application, proper **233–234**

materials **234–236**

protection of **236**

Sealed Combustion System

See also **Flue**

avoids carbon monoxide hazard **496**

for boiler **444–445**

for gas-fired room heaters **476**

Security

See also **Safety**

See also **Privacy**

door locks. See **Door Locks**

doors, reinforcement **382–384**

garage door, reinforced **391–392**

lighting. See **Lighting Fixtures**

strong room **29–30**

windows, intrusion-resistant **366–367**

SEER (cooling efficiency)

463–464

Sewing Room **44**

Shading Fixtures, Exterior

158–163

awnings **161–162**

balcony **161**

design of **158**

false eaves **161**

gable end overhangs **159–161**

louvered shutters **162**

louver panels **162**

overhanging floor **161**

porch **161**

roof overhangs **159**

south-facing glazing, for

159–160

trees & shrubs. See **Foliage**

Shading Fixtures, Interior

- 164–166**
- curtains & draperies **165–166**
- roller shades **164–165**
- venetian blinds **165**

Shading, for Cooling 153–166

- with exterior fixtures
See Shading Fixtures, Exterior
- with foliage **153–158**
- with interior shading devices
See Shading Fixtures, Interior

Sheetrock. *See Gypsum Board***Shingles, Roofing**

- asphalt **126–127**
- metal **129–130**
- wood **130**

Shower

- faucets **512–513**
- heads **513–514**
- health hazards **514**
- water treatment
See Water Treatment

Shower Rooms 32–37**Sill Plate 193, 195, 286, 292****Sinkholes 248****Sinks 516****Size.** *See also Dimensions*

- exploit standard sizes **64**
- metric real vs. nominal **64**
- of corridors **70**
- of doors **70**
- of drawings **618**
- of glazing **149–150, 153**
- of house **86–90**
- of rooms, to fit furnishings **65**
- of stairs **71**

Sky Temperature 180**Skylight 174–176, 400–404**

- ▶ Skylight Selection Guide **401–404**
- appearance **180**
- comparison to windows, clerestories & light pipes (table) **142–143**
- condensation damage **403–404**
- for daylighting **172–174**
See also Daylighting
- frame construction **403**
- glazing **402, 404**
See also Glazing, Materials
- heat loss **403**
- installation **400, 402**
- leakage **400, 402**
- openable **403**
- ratings **400**
- shading devices, integral **404**
- size **401**
- types **401**

Smoking Room 72–73**Snow & Ice Protection**

- ▶ Snow & Ice Protection Checklist **125**
- condensation damage **328**
- ice dams **328**
- roof shape **329**
- safety under eaves **125**
- snow fences, avoid **125, 329**

Sod Roof 671, 673**Soil**

- as heat source
See Geothermal Heat Pump
- as insulation **670**
- earth-sheltered house **670–671**
- frost depth **247–248**
- pressure **270–273**
See also Walls, Basement
- radon in **244–245**
See also Radon
- strength, to support foundation **247**
- temperature of deep soil **278**
- thermal lag **92, 670**
- water in **246**

Solar Collectors

- air heating. *See Solar Heating, Active Systems*
- photovoltaic. *See Solar Electricity Generation*
- water heating. *See Solar Heating, Active Systems*

Solar Electricity Generation 658–661

- access to sunlight **661**
- conflict with roof maintenance **661**
- energy output **658**
- how it works **658**
- system arrangements **659–661**

Solar Heating, Active Systems 649–653

- access to sunlight **650**
- all-air systems **653**
- dimensions **652**
- excess heat problem **652**
- freeze protection **652**
- solar collectors **649–651**
- space heating systems **651**
- water heating systems **651**

Solar Heating, Passive 654–657

- See also Glazing, Applications*
- access to winter sunlight **655**
- appeal of **654**
- design issues **656–657**
- problems of **654–655**
- with clerestories
See Clerestories
- with windows **151–152**

Spa. *See Bathtub; See Hot Tub***Specifications (construction) 619–620****Split-System Air Conditioners 469****Split-System Heat Pumps 459–462****Stairs**

- dimensions **71**
- handicap access **72**
- preventing stratification **71**
- safety **71**
- where to locate **70, 95**

Steel

- concrete reinforcement **252–254**
- rebar, improved **253**

Stem Wall 260, 266–268

- See also Foundation*

Stone

- foundation
See Foundation, Stone
- stone veneer **99, 109–110**
- thermal lag **92**
- walls. *See Walls, Stone*

Storage Rooms 29**Storm Door 379****Storm Windows 373****Stratification, Temperature**

- between floors **70–71**
- fans to prevent **485**
- stair isolation **71**
- tall ceilings, with **85**

Straw Bale House 673**Strong Room 29–30****Stucco 105****Studs, Wall.** *See Wall Studs***Style.** *See Architectural Style***Subfloor**

- See Floor Structure, Wooden*

Sump Pump 277

- radon removal system **265–266**

Sun, Motion of 141–148

- orient floor plan to **75**

Sun Position Charts 144–148**Sun & View Survey 147–148****Sunlight**

- components of **140–141**
- glare from. *See Glare*
- infrared **141**
- intensity of **167**
- ultraviolet **141**
- visible **140–141**

Sunroom 49, 182–183**Super-Insulation**

- amount of. *See Insulation, Amounts*
- as design principle **15, 207**
- of basement
See Insulation of Basement
- of floors
See Insulation of Floor
- of foundation
See Insulation of Foundation of Walls, Frame
- of roof. *See Insulation of Roof of Walls, Frame*
- of walls, masonry. *See Insulation of Walls, Masonry*

Swamp Cooler

- See Evaporative Cooler*

Swimming Pool 135–137**System Feeder (hydronic system) 450–451**

- for draining system **450–451**
- for leak protection **438, 451, 452**
- for purging system **453**
- for system pressurization **449, 450–451**
- for system water treatment **450, 452**
- location in system **439, 444**

T**Tandem Windows 371–372****Task Lighting 567–569****Terrazzo 406, 409****Thermal Lag 92****Thermal Shutters (glazing) 646–648****Thermostats**

- ▶ Programmable Thermostat Selection Guide **506**
- freeze protection **507**
- programmable **505–506**
- proper location **508**

Tile

- floor **408–409**
- interior surfaces **308**
- roof **129–130**

Time Controls

- clock switches **507**
- interval timers **505, 507**

Toilet Rooms 31–32**Toilets 517–520**

- convenience **519–520**
- conventional (siphon) toilets **517–518**
- pressure-flushing **517, 518**
- primitive & disgusting **519**
- recommended types **517**
- vacuum-assisted **519**

Tongue-and-Groove Decking 332**Tornadoes**

- emergency shelter **58–60**
- locations of **241–242**
- protection against. *See Wind Damage, Preventing*

Track Lighting 571**Trees & Shrubs.** *See Foliage***Triangle-Frame Roof.** *See Roof Structure, Triangle-Frame***Tubular Skylights.** *See Light Pipe***Turbine Ventilators 342****U****Underlayment**

- floor. *See Floor Structure, Wooden*
- roof surface **332–333**

Urinal 520–521

V**Valance Lighting** 571**Vapor Barrier**

- explained 226–228
- for frame walls & ceilings 299–300
- for masonry walls 302
- perm rating, explained 226
- perm ratings of materials (table) 227

Veiling Reflections 566–567**Venetian Blinds** 165. *See also* **Shading Fixtures, Interior****Ventilation, for Air Quality** 490–494

- by openable glazing 179
- by range hood. *See* **Range Hood**
- of kitchen 39, 491–492
- of toilet rooms 493
- of workshop 493–494

Ventilation, for Combustion Air.
See also **Flue**

- for equipment with open flames 496.
See also **Kitchen**
- through chase from attic 496
See **Clerestories**;
See **Skylights**;
See **Windows**
- through sealed combustion system. *See* **Sealed Combustion System**

Ventilation, for Comfort Cooling

- by fans. *See* **Fans, Cooling**
- by openable glazing 179
See also **Clerestories**;
See also **Skylights**;
See also **Windows**

Ventilation, for Humidity Control

- See also* **Venting, Moisture**;
See also **Mildew**
- by openable glazing
See **Clerestories**;
See **Skylights**;
See **Windows**
- limitations 502
- of bathtub room 492–493
- of crawl space
See **Crawl Space**
- of kitchen 491–492
- of laundry space 493
- of shower 492–493
- of toilet rooms 493

Ventilation, for Roof Cooling 336–337, 340–343**Venting, Combustion Gas**

- See* **Flue**;
- See* **Heating Equipment, Room Heaters**;
- See* **Sealed Combustion System**

Venting, Moisture

- See also* **Ventilation, for Humidity Control**;
- See also* **Condensation Damage in Structure, Preventing**
- basement 277–278
- insulation above roof 327
- roof 323–326
- walls, frame 300
- walls, masonry 302

Vestibule 52–55**View**

- glare from water & snow 178
- orient house toward 73
- window design for 176–178

Vinyl Siding 104**Vision, Human** 550–552

- color vision 551–552
- effect of age 550
- effect of contrast 550
- effect of glare 564–566
- effect of light intensity 550
- effect of veiling reflections 566–567

W**Wall Sheathing, Exterior**

- description 194, 198–200, 295–298
- as air leakage barrier 194, 295
- as base for exterior fixtures 295
- as base for exterior surfaces 194, 295–296
- as structural component 194, 239, 295
- installation 194, 199, 297
- materials 194, 295–296
- moisture permeability 227
See also **Condensation Damage in Structure, Preventing**
- thickness 296

Wall Studs

- described 194, 197, 200
- dimensions 289
- fabricated (thicker walls) 290–292
- solid (thinner walls) 290
- spacing 289, 290
- strength requirements 290
- wiring passages 290–291

Wall Surfaces, Exterior 308–311

- aluminum siding 104
- appearance 104–114
- blank walls, avoiding 112–114
- board-and-batten 104
- brick 106–108, 309–310, 398
- clapboard 104
- decoration with foliage 113
- decoration with ornaments 113
- half-timbered 110
- lightweight surfaces 104–106, 308
- painted 104, 111–112
- plastic (vinyl) siding 104
- shingles 104
- stone 109–110
- stone veneer 311, 398
- stucco 104

Walls, Basement 270–281

- See also* **Foundation**
- design for strength 271–273
- insulation 278–279, 280–281
- soil pressure 270–273

Walls, Frame

- condensation, prevention 299–300. *See also* **Condensation Damage in Structure, Preventing**
- corners, strong 294–295
- double-wall 291
- headers 194, 197, 292–293
- insulation. *See* **Insulation of Walls, Frame**
- moisture venting 300
See also **Venting, Moisture**
- openings 197
- openings for doors & windows 194, 197, 293–294
- plate, bottom 292
- plate, sole 292
- plate, top 292
- sheathing, exterior. *See* **Wall Sheathing, Exterior**
- sheathing, interior
See **Interior Surfaces**
- studs. *See* **Wall Studs**
- vapor barrier 299–300
See also **Vapor Barrier**

Walls, Interior

- insulation.
See **Insulation of Interior Walls, Floors & Ceilings**
- load-bearing 65–66, 189, 191
- wet walls 69–70

Walls, Masonry

- basement. *See* **Walls, Basement**
- brick-and-block 310
- concrete block 202
- concrete frame 202
- filler blocks 202–204
- insulation. *See* **Insulation of Walls, Masonry**
- interior surfaces. *See* **Interior Surfaces**
- moisture venting 302, 304.
See also **Venting, Moisture**

- stone-on-block 311
- stone walls 109–110, 201–202
- vapor barrier 302. *See also* **Vapor Barrier**

Walls, Stone 109–110, 201–202**Wash Basins** 516

- faucets 516
- height 517

Water

- consumption, by use 512
- faucets. *See* **Faucets**
- filters. *See* **Water Treatment**
- heaters. *See* **Water Heating**
- in soil. *See* **Ground Water**
- pipes. *See* **Water Pipes**
- rainwater recovery 674–675
- treatment. *See* **Water Treatment**
- waste water recovery 676
- well water.
See **Water Treatment**;
See **Well Water**

Water Hammer 543–544**Water Heating** 522–529

- delay at faucet, minimizing 529
- electricity cost, lowering 523
- energy sources for 522
- energy use for 511
- hot water recirculation 529
- pipe heat loss, reducing 525
- space for water heater 51–52
- temperature setting 524
- water heater, conventional (storage) 522–525
- water heater, direct-venting 523–524
- water heater, heat pump 525–526
- water heater, solar. *See* **Solar Heating, Active Systems**
- water heater, space heating boiler as 528
- water heater, tankless, electric 527
- water heater, tankless, gas-fired 527–528

Water Pipes 542–546

- ease of repair 542
- freeze protection 544–546
- insulation 544
- layout, for water treatment 543
- layout, to avoid interference between fixtures 542–543
- layout, to minimize hot water delay 529
- main water valve 544
- water hammer, preventing 543–544

Water Softener

534–535, 536–537, 538–539

Water Treatment 530–541

- methods & equipment (table) 534–535
- recommendations, by usage 530–532
- filter, carbon 533, 534–535, 536–538
- filter, ceramic 534–535, 540
- filter, reverse osmosis 534–535, 539
- filters, sediment 534–535, 536
- filter, ultraviolet 534–535, 540–541
- for hydronic heating system 452
- pollutants (table) 534–535
- testing water supply 532
- water softener
See **Water Softener**
- well water. *See* **Well Water**

Well Water

- as heat source & sink. *See* **Geothermal Heat Pump**
- radon hazard 245
See also **Radon**
- treatment
See **Water Treatment**

Wet Walls 69–70*See also* **Floor Plan**

Wind Damage, Preventing

- ▶ Wind Protection Checklist **239**
- hurricanes **241**
- roof design for **312–315**
- tornadoes **241–242**

Wind Energy 662**Window Sills, Fancy 103, 289, 368, 371****Window Terminology 353****Windows, Applications**

See also Glazing, Applications

- comparison to clerestories, skylights & light pipes **142–143**
- for appearance enhancement **100–103, 140, 180**
- for daylighting **167–168**
See also Daylighting
- for emergency exit **181**
- for solar heating **151–152**
See also Glazing, Applications;
See also Solar Heating, Passive
- for ventilation **179**
See also Ventilation
- for view **176–178**
See also View
- in shower rooms **36**
- in toilet rooms **32**
- privacy, design for **176–178**
See also Privacy
- shading
See Shading, for Cooling
- sizing, to reduce heat loss **149–150**

Windows, Installation

- finned windows, easy replacement **368–370**
- mounting features **364–365**
- tandem windows **371–372**
- unframed glass **370**
- windows without finned frame **370**

Windows, Materials & Components

- frame materials **362–364**
- glazing edge seals **362**
- glazing materials
See Glazing, Materials
- insulating fill gases **361**
- number of panes **361**
- spacing between panes **361–362**
- thermal break (metal frames) **364**
- weatherstripping **365–366**

Windows, Selection Factors

- ▶ Window Selection Guide **352–367**
- ▶ recommendations **350–351**
- ability to replace glazing **366**
- ability to replace weatherstripping **366**
- cleaning, ease **352**
- fixed or openable **352**
- mounting method **364–365**
- openable windows, styles **353–356**. *See also Windows, Types of Opening*
- ratings, NFRC **351, 368**
- resistance to intrusion **366–367**
- resistance to storm damage **239, 366–367**
- service life **350**
- shape **352**
- size **352**

Windows, Types of Opening 354–356

- awning **355**
- casement, inward swinging **355**
- casement, outward swinging **355**
- combination hinged (tilt-turn) **356**
- double-hung **354–356**
- hopper **356**
- jalousie (louver) **356**
- slider, horizontal (glider) **354–356**
- slider, vertical (single-hung) **354–356**
- storm windows **373**

Wiring & Cable

- air leakage around, prevent **348–349**
- convenience features **347**
- insulation interference, avoid **347–348**
- passages in joists **284**
- passages in wall studs **290–291**
- underground **189–190**

Wood

- as heating fuel **627–628, 629**
- fireplace. *See Fireplace*
- floor structure. *See Floor Structure, Wooden*
- floor surfaces
See Floor Surfaces
- house construction
See Frame Construction
- pellet fuels **631, 633**
- roof. *See Roof*
- walls. *See Walls, Frame*
- wood-fired heating equipment
See Heating with Firewood

Workshop 51

- in garage. *See Garage*
- ventilation **493–494**

X, Y**Z****Zero-Energy House 663**

ENERGYBOOKS.COM